

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Acanthochelys	see Platemys						
A. sp.	16 cm					Pliocene	Argentina
Achelonia	see Eurysternum						
Acherontemys						Miocene	N America
Achilemys						Eocene	W USA
Acichelys	see Eurysternum					U.Jurassic	Alabama (US)
Acinixys	see Testudo						
Acrohydraspis	see Phrynops						
Actinemys	see Clemmys						
Adelochelys	see Orlitia						
Adocoides						U.Cretaceous	Mongolia
A. amtgai	40 cm?	7.5 cm		45 cm		Turonian-Santonian	Bayanshiree (Mongolia)
Adocus						U.Cretaceous-U.Eocene	N America, E & W Asia
A. amtgai	see Adocoides amtgai						
A. askari (aksary)						Turonian-Coniacian	Kyzylkum (Uzbekistan)
A. aquilis						U.Cretaceous	New Jersey (US)
A. beatus						Campanian	New Jersey (US)
A. cf. Sp.						Maastrichtian-Torrejonian	Wyoming, Montana (US)
A. foveatus (foreatus)						Santonian	Fergana (Tadzhikistan)
A. kizylkumensis						Albian	Karakalpakia (Uzbekistan)
A. lacer						Cretaceous	New Jersey (US)
A. lineolatus						Maastrichtian	Montana (US)
A. orientalis						M-U.Eocene	Nei Monggol (China)
A. pravus						Cretaceous	New Jersey (US)
A. punctatus						Cretaceous	New Jersey (US)
A. sp.						Cretaceous	New Jersey (US)
A. sp.						Cretaceous	China
A. sp.						Maastrichtian	Montana (US)
A. sp.						Campanian	Alberta (Cnda)
A. sp.						Maastrichtian	Wyoming (US)
A. sp.						Campanian	Texas (US)
A. syntheticus						Cretaceous	New Jersey (US)
A. vigoratus						U.Cretaceous	Wyoming (US)
Agomphus						U.Cretaceous-Oligocene	USA
A. alabamensis	28 cm					Paleocene	Alabama (US)
A. firmus						Cretaceous	New Jersey (US)
A. masculinus						Maastrichtian	New Jersey (US)
A. pectoralis						Cretaceous	New Jersey (US)
A. petrosus						Cretaceous	New Jersey (US)
A. sp.						Cretaceous	New Jersey (US)
A. tardus						U.Cretaceous	New Jersey (US)
A. turgidus						Cretaceous	New Jersey (US)
Agrionemys							
A. djetyogus							
A. honanensis							
A. horsfieldii							
A. kegenika							
A. ranovi							
A. tekessa							
A. tunhuanensis							
A. turgaica							
Akrochelys						Eocene	Europe
Alamosemys						Eocene?-Pleistocene	W USA
A. substrictus						Pleistocene	New Mexico (US)
Albertemys						L.Oligocene	Egypt
A. woodi						Fayumian	Egypt
Allaeochelys				18 cm		M.Eocene	Germany, Spain

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
cf. A. sp.						Bridgerian	Texas (US)
A. casasecai						Lutetian	Spain
A. crassesculptata				18 cm		Lutetian	Germany
Alloechelys	probably Allaeochelys					Eocene	Europe
Allopleuron				1 m		U.Cretaceous	Europe
A. hoffmani	see Allopleuron hoffmanni						
A. hoffmanni	136 cm					Maastrichtian	Netherlands, Belgium
Amblypeza						M-U.Cretaceous	USA, Brazil
A. barretoii						Aptian	Brazil
A. entellus						U.Cretaceous	New Jersey (US)
A. sp.						Aptian	Brazil
Amphiemys	see Agomphus						
Ampholidemys							
Amyda	see Trionyx						China, Mongolia
A. gregoria (gregaria)	see Trionyx gregoria					U.Eocene	Nei Monggol (China) Mongolia
A. johnsoni						L.Eocene	Nei Monggol (China)
A. linchuensis						L.Eocene	Shandong (China)
A. menenri	fragmentary remains					Maastrichtian	Nemegt (Mongolia)
A. neimenguensis						M.Eocene	Nei Monggol (China)
A. nelsoni						Eocene	Wyoming (US)
A. orlovi	18 cm					Cenomanian	Bayanshiree (Mongolia)
A. sp.						Eocene	Irdin Manha Fm (Mongolia)
A. virginiana							
Anaphotidemys						U. Jurassic	Europe
Anatolemys	70 cm?					M-U.Cretaceous	Kirghizstan, Uzbekistan
A. maximus	59 cm?					Turonian-Santonian	Fergana (Kirghizstan & Tadzhikistan)
A. oxensis						Cenomanian-Turonian	Karakalpakkia (Uzbekistan)
Anglocetus							England
A. beatsoni							England
Anhuichelys						L.Paleocene	China
A. siaochihensis	35 cm?					Puercan	Anhui (China)
A. tsienshanensis						Puercan	Anhui (China)
A. xinzhouensis						Puercan	Hubei (China)
Annamemys						Recent	S Asia
Annemys						U. Jurassic	Mongolia
A. latiense	25 cm?						
A. levense		5 cm?					Shar Teeg (Mongolia)
Anosteira				36 cm		M.Paleocene-Eocene	China, USA, Europe
A. lingnanica						Puercan	Guangdong (China)
A. manchuriana						U.Eocene	Liaoning (China)
A. maomingensis	16 cm?					U.Eocene	Guangdong (China)
A. mongoliensis						Sannnoisian	Nei Monggol (China)
A. ornata						Bridgerian	Wyoming (US), Saskatchewan (Cnda)
A. radulina						Bridgerian	Wyoming (US)
A. shantungensis						U.Eocene	Shandong (China)
A. shuvalovi	see Kizylkumemys schultzi					Cenomanian-Turonian	Uzbekistan
A. sp.						Torrejonian	Utah (US)
Anosteora	see Anosteira					M.Paleocene	W USA
A. sp.	see Anosteira sp.					Torrejonian	Utah (US)
Anosteria	see Anosteira			36 cm		Eocene-Miocene	N America, E Asia, Europe
Anostira	see Anosteira						
A. ornata	see Anosteira ornata						
A. molopina	see Plastomenus molopinus						
A. oedemia	see Plastomenus oedemius						
A. radulina	see Anosteira radulina						
A. trionychoides	see Plastomenus trionychoides						
Anota	see Pelusios						

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Anthracocheilus	nomen nudum, see Bergouniouxcheilus						
A. vallisnerii	see Bergouniouxcheilus vallisnerii						
Apalone	see Trionyx					L.Miocene-U.Pleistocene	USA
A. amnicola							
A. antiqua							
A. extensa							
A. ferox	living Florida Softshell Turtle					L.Pleistocene-Recent	Florida, Georgia (US)
A. heteroglypta							
A. latus						Campanian-Maastrichtian	Alberta (Cnda)
A. leucopotamica	32.5cm					Chadronian	Nebraska, N & S Dakota (US) Alberta (Cnda)
A. mutica (muticus)	living Softshell Turtle						
A. postera							
A. serialis							
A. sp.						Hemphillian-Blancan	Florida (US)
A. spinifera (spiniferus)	living Softshell Turtle					Rancholabrean-Recent	E USA
A. trepida							
A. trionychoides							
Apertotemporalis						U.Cretaceous	N Africa
Apholidemys	see Anosteira						
Aplax	see Eurysternum						
Apoidochelys						U.Cretaceous	S America
Araripemys				42 cm		L.Cretaceous	Brazil
A. barretoii	24 cm	5 cm		42 cm		L.Cretaceous	Santana Fm, Brazil
Archaeochelys						L.Cretaceous	France
A. pougeti						Permian?	France
Archelon	76 cm			36 cm	3 t	U.Cretaceous	USA
A. cf. Sp.						U.Cretaceous	N Carolina (US)
A. copei	see Microstega copei						
A. ischyros	2.25 m			4.3 m	3 t	Campanian-Maastrichtian	S Dakota, Colorado, Kansas (US)
A. marshi	see Archelon ischyros						
Argillochelys						Eocene	Europe
A. antiqua						Ypresian	England, Belgium
A. athersuchii						Lutetian	England
A. cuneiceps						Ypresian	England, Belgium
Aromochelys	see Kinosternon						
Asiachelys	30 cm?					L.Cretaceous	Mongolia
A. perforata						Albian	Khulsangol (Mongolia)
Asperidites	see Trionyx					U.Cretaceous-M.Eocene	W USA, W Canada
A. beecheri						Maastrichtian	Wyoming (US)
A. coalescens						Campanian	Alberta (Cnda)
A. ellipticus						Bridgerian	Wyoming (US)
A. foveatus						Campanian	Montana (US)
A. grangeri						Bridgerian	Wyoming (US)
A. guttatus						Bridgerian	Wyoming (US)
A. puercensis						Puercan	New Mexico (US)
A. segatus						Puercan	New Mexico (US)
A. sp.						Maastrichtian	Montana, Wyoming (US)
A. splindidus						Maastrichtian	Montana (US)
A. vorax						U.Cretaceous	New Mexico (US)
Aspideretes				108 cm		L-U.Cretaceous	China, W USA
A. alashanensis						Albian-Aptian	Nei Monggol (China) Mongolia
A. alleni	possibly Aspideretoides alleni?						
A. amnigenus						U.Cretaceous	Wyoming (US)
A. annae						Bridgerian	Wyoming (US)
A. austerus						U.Cretaceous	New Mexico (US)
A. beecheri						Campanian-Maastrichtian	Montana, Wyoming (US)
A. fontanus						U.Cretaceous	New Mexico (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>A. impressus</i>						U.Eocene	Guangdong (China)
<i>A. maortuensis</i>						Albian-Aptian	Mongolia
<i>A. muyuensis</i>						L.Eocene	Hubei (China)
<i>A. nassau</i>						Paleocene	Montana (US)
<i>A. sinuosus</i>	16 cm?						China
<i>A. sp.</i>						U.Cretaceous	China
<i>Aspideretoides</i>						U.Cretaceous	W USA, W Canada
<i>A. alleni</i>						Campanian-Maastrichtian	Alberta (Cnda)
<i>A. foveatus</i>						Campanian-Maastrichtian	Montana (US), Alberta (Cnda)
<i>A. splendidus</i>						U.Cretaceous	Montana (US)
<i>Aspidochelys</i>	see <i>Cycloderma</i>						
<i>Aspidonectes</i>	see <i>Trionyx</i>						
<i>A. radulus</i>						Bridgerian	Wyoming (US)
<i>Aspilus</i>	see <i>Trionyx</i>						
<i>Asterochelys</i>	see <i>Testudo</i>						
<i>A. abrupta</i>							
<i>Atlantochelys</i>						U.Cretaceous	E USA
<i>A. mortoni</i>						Maastrichtian	New Jersey (US)
<i>Aulacochelys</i>	see <i>Trionyx</i>					Eocene-Recent	N America, Europe, Asia
<i>Australochelys</i>						Triassic	
<i>Axestemys</i>	see <i>Trionyx</i>					Eocene-Miocene	Europe, N America
<i>Axestemys</i>	see <i>Trionyx</i>						
<i>A. byssinus</i>						Bridgerian	Wyoming (US)
<i>A. riabinini</i>						Turonian-Santonian	Kazakhstan
<i>A. sp.</i>						Wasatchian	Wyoming (US)
<i>Axestus</i>						M.Eocene	W USA
<i>A. byssinus</i>						Bridgerian	Wyoming (US)
<i>Azabbaremys</i>						Paleocene	Mali
<i>A. moragjonesi</i>						Paleocene	Mali
<i>Baena</i>				46 cm		U.Cretaceous-M.Eocene	W USA, W Canada
<i>B. affinis</i>	see <i>Baena arenosa</i>						
<i>B. antiqua</i>	see <i>Plesiobaena antiqua</i>						
<i>B. arenosa (areosa)</i>	45 cm					Wasatchian-Uintan	Wyoming, Utah, Colorado (US)
<i>B. cf. Nodosa</i>						Campanian	Texas (US)
<i>B. cf. Sp.</i>						Maastrichtian	Montana (US)
<i>B. clara</i>						Bridgerian	Wyoming (US)
<i>B. emiliae</i>						Uintan	Utah (US)
<i>B. escavada</i>						Torrejonian	New Mexico (US)
<i>B. fluviatilis</i>	see <i>Neurankylus eximius</i>						
<i>B. hatcheri</i>	see <i>Boremys pulchra?</i>					Campanian-Maastrichtian	Wyoming (US) Alberta (Cnda)
<i>B. hebraica</i>	48 cm					Bridgerian	Wyoming (US)
<i>B. marshi</i>						U.Cretaceous	Wyoming (US)
<i>B. ponderosa</i>						Bridgerian	Wyoming (US)
<i>B. pulchra</i>	see <i>Boremys pulchra</i>						
<i>B. sima</i>						Bridgerian	Wyoming (US)
<i>B. sp.</i>						Maastrichtian-Bridgerian	Montana, Wyoming (US)
<i>B. undata</i>	40 cm?					Bridgerian	Wyoming (US)
<i>Baicalemys</i>						Miocene	Georgia?
<i>B. gracilis</i>						Miocene	Georgia?
<i>B. moschifera</i>						Miocene	Georgia?
<i>Baikeia</i>	see <i>Cyclanorbis</i>						
<i>Bairdemys</i>						U.Miocene	Venezuela, Puerto Rico
<i>B. hartsteini</i>						U.Miocene	Puerto Rico
<i>B. venezuelensis</i>						U.Miocene	Venezuela
<i>Baltemys</i>						L.Eocene	W USA, Great Britain
<i>B. sp.</i>						U.Triassic	Wales (G Brtn)
<i>B. sp.</i>						Wasatchian	Wyoming (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
B. staurogastros						Wasatchian	Wyoming (US)
Bantuchelys						Paleocene	Congo (Zaire)
Baptemys						L.Eocene-L.Oligocene	W USA
cf. B. sp.						Bridgerian-Duchesnean	Texas (US)
B. fluviatilis						Eocene	Nebraska (US)
B. garmani							
B. tricarinata						Wasatchian	Wyoming (US)
B. wyomingensis						Bridgerian	Wyoming, Colorado (US)
Bartlettia	see Podocnemis						
Basilemys						U.Cretaceous	W USA, Canada, China
cf. B. sp.						Campanian	Texas (US)
B. agmia						Campanian	Alberta (Cnda)
B. imbricaria						Campanian	Montana (US)
B. orientalis							Mongolia?
B. praeclara (praeclara)							
B. sinuosus (sinuosa)						U.Cretaceous	Montana (US)
B. sp.						Campanian	Alberta (Cnda)
B. sp.	fragmentary remains					L.Cretaceous	Shandong (China)
B. variolosa (variolosus)						Campanian-Maastrichtian	Montana (US), Alberta (Cnda)
Batagur						M.Miocene-Recent	India, Nepal
cf. B. sp.						M-U.Miocene	Nepal
Batagurella	see Kachuga						
Batrachemys						Recent	S America
Bellemys	see Pyxis						
Bellia	see Siebenrockiella						
Bergouniouxchelys						L.Oligocene	Italy
B. vallisneri	20 cm?					Suevian	Italy
Boremys						U.Cretaceous	W USA, Canada
B. albertensis	see Boremys pulchra						
B. cf. Sp.						Campanian	Wyoming (US)
B. grandis							
B. pulchra						Campanian	Alberta (Cnda)
Borkenia						M.Eocene	Germany
B. aff. Oschkinsi	6 cm?					Lutetian	Messel (Germany)
B. germanica	6 cm?					Lutetian	Germany
B. oschkinisi						Lutetian	Germany
Bothremys						U.Cretaceous-Miocene	USA
B. barberi	65 cm					Santonian-Campanian	Alabama, Kansas, New Jersey (US)
B. b. spp. C						U.Cretaceous	Kansas (US)
B. cooki						Maastrichtian	New Jersey (US)
B. maghrebiana							Morocco
B. maghrediana	probably B. maghrebiana						Erfoud (Morocco)
B. sp.						Eocene	Morocco
Brodiechelys	see Plesiochelys					L.Cretaceous	Europe
Broilia						Oligocene-Miocene	Europe
B. manuascensis	see Chelydropsis					Oligocene	France
B. massiliensis	see Mauremys massiliensis						
Brookesia	see Orilitia						
Bryocheles	see Chelone						
B. waterkeynii	see Chelone waterkeynii						
Bulganemys	45 cm					U.Cretaceous	Mongolia
B. jaganchobili	33 cm					Santonian	Baruungoyot (Mongolia)
Buzzops	see Dorsetochelys buzzops?					U.Jurassic-L.Cretaceous	W USA
Bysmachelys	see Gopherus						
Bystra	see Floridemys						
Cachuga	see Kachuga						
Calcharhichelys	probably Calcarichelys						

Genus/Species	Shell	Skull	Ht	Lt	Wt	Stage	Range
<i>C. gemma</i>	probably	Calcarichelys					
Calcarichelys						U.Cretaceous	USA
<i>C. gemma</i> (gemima)	25 cm					Coniacian-Campanian	Alabama, Kansas (US)
Calcichelys				1 m		U.Cretaceous	N America
Calemys	see	Clemmys					
Callagur						Recent	Asia
Callichelys	see	Pseudemys					
Callinia	see	Trionyx					
Cantorella	see	Callagur					
Caouana	see	Caretta or Lepidochelys					
Cardiochelys						U.Eocene-L.Oligocene	Belgium, Nigeria
<i>C. eocaemus</i>							
<i>C. eocaenus</i>						U.Eocene	Nigeria, Egypt
<i>C. rupeliensis</i>						Rupelian	Belgium
Caretta						U.Cretaceous-Pleistocene	Oceans
<i>C. caretta</i>	living	Loggerhead Turtle				Irvingtonian-Recent	Florida (US)
<i>C. sp.</i>						Hemphillian	Florida (US)
Carettochelys						Miocene-Recent	New Guinea, W Australia (AU), Burma
<i>C. insculpta</i>							
<i>C. sp.</i>						Eocene	Pondaung Fm (Burma)
Caribemys						U.Jurassic	Cuba
<i>C. oxfordiensis</i>						Oxfordian	Jagua Fm (Cuba)
Carolinochelys						Oligocene	N America
Carteremys						Eocene	India
<i>C. leithii</i>						Eocene	India
<i>C. pisdurensis</i>							
Caryoderma	see	Testudo					
Castresia	see	Anosteira					
Catapleura	75 cm					U.Cretaceous	USA
<i>C. arcansaw</i> (arkansaw)	75 cm					Campanian-Maastrichtian	Arkansas, New Jersey (US)
<i>C. chelydrina</i>	see	Osteopygis emarginatus					
<i>C. ponderosus</i>						Cretaceous	New Jersey (US)
<i>C. repanda</i> (repandus)	58 cm					Maastrichtian	New Jersey (US)
Cathaiemys	see	Clemmys					
Caudochelys	see	Testudo				L.Miocene-U.Pleistocene	E USA
<i>C. brontops</i>	see	Hesperotestudo brontops					
<i>C. crassicutata</i>	see	Hesperotestudo crassicutata				U.Pliocene-U.Pleistocene	Florida (US)
<i>C. hayi</i>	see	Hesperotestudo hayi				M.Miocene-L.Pleistocene	Florida (US)
<i>C. tedwhitei</i>	see	Hesperotestudo tedwhitei				L.Miocene	Florida (US)
Cautleya						Pliocene	E Asia
Cearachelys						L.Cretaceous	Brazil
<i>C. placidoi</i>							Ceara (BRZ)
Centrochelys	see	Testudo					
Cephalochelys	see	Caretta					
Ceramopelta	see	Trionyx					
Ceratochelys	see	Meiolania				U.Pleistocene	Australia
<i>C. sthenurus</i>						U.Pleistocene	Lord Howe's Island (AU)
Chaibassia	see	Geoemyda					
Charitemys						U.Cretaceous	W USA
<i>C. captans</i>	see	Neurankylus eximius?				Campanian	Montana (US)
Cheirogaster						Eocene-Miocene	Spain
<i>C. bolivari</i>						Miocene	Spain
<i>C. perpiniana</i>				2 m		L.Pliocene	Spain
<i>C. richardi</i>	see	Cheirogaster bolivari					
Chelidra	see	Chelydra					
Cheliurus	see	Chelydra					
Chelodina						Miocene-Recent	Australia

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>C. alanruxi</i>	41 cm?					Eocene	Queensland (AU)
<i>C. insculpta</i>	27 cm					Pliocene-Pleistocene	S Australia (AU)
<i>C. n.sp.A</i>	16.5cm					Eocene	Redbank Plains (AU)
<i>C. n.sp.B</i>	25 cm					Eocene	Redbank Plains (AU)
<i>C. n.sp.C</i>	22 cm?					Eocene	Redbank Plains (AU)
Chelomedusa	see Hydromedusa						
Chelona	see Chelonia						
Chelone	see Chelonia						
cf. <i>C. jessoni</i>						U.Cretaceous	New Jersey (US)
<i>C. benstedii</i>	see Cimochelys benstedii					Albian-Turonian	England
<i>C. gigas</i>							England
<i>C. gwinneri</i>							
<i>C. harvicensis</i>	see Neurochelys harvicensis						
<i>C. imbricata</i>							
<i>C. jessoni</i>	see Protostega anglica						
<i>C. melii</i>						Miocene	Italy?
<i>C. murua</i>						Pleistocene	Woodlark Island (Solomon Islands)
<i>C. sismondai</i>						Pliocene	Italy?
<i>C. sp.</i>							Dorset (England)
<i>C. vanbendeni</i>						Oligocene	Belgium
<i>C. waterkeynii</i>							
Chelonemys	see Padiochelys or Podocnemis						
Chelonia						U.Cretaceous-Holocene	Oceans
<i>C. couperi</i>	actually belongs to Eremotherium in Edentate index						
<i>C. gwinneri</i>							
<i>C. hoffmanni</i>						Maastrichtian	
<i>C. mydas</i>	living Green Sea Turtle					L.Pleistocene-Recent	Florida (US)
<i>C. parvitecta</i>						Eocene	New Jersey (US)
<i>C. sp.</i>						L.Pliocene	Florida (US)
<i>C. sp.</i>						Quaternary	Runnels-Pierce Ranch, Texas (US)
Chelonias	see Chelonia						
Chelonides	see Anaphotidemys					U. Jurassic	Europe
Chelonipus	see Proganochelys?						
<i>C. torquatus</i>						Triassic	Germany
Chelonoidis						L.Miocene	Argentina, Bolivia
<i>C. gringorum</i>						L.Miocene	Argentina
<i>C. sp.</i>						L.Miocene	Bolivia
Chelonura	see Chelydra						
Chelopus	see Clemmys						
Chelosphargis						U.Cretaceous	USA, Canada, New Zealand, Japan
<i>C. advena (adventa)</i>	50 cm					Coniacian-Campanian	USA, Canada, New Zealand, Japan
<i>C. cf. Advena</i>						Coniacian-Campanian	Alabama (US)
Chelus						U.Miocene-Pleistocene	Colombia
<i>C. colombianus</i>						Friasian	Colombia
<i>C. fimbriata</i>						Colhuehuapian	Colombia
<i>C. lewisi</i>							
Chelycarapookus	20 cm					L.Cretaceous	Australia
<i>C. arcuatus (arctuatus)</i>	20 cm					L.Cretaceous	S Australia, Victoria (AU)
Chelydra	see Chelus or Dermochelys					Oligocene-Holocene	N & C America, Europe
<i>C. decheni</i>							Germany?
<i>C. laticarinata</i>							
<i>C. meilheuriatae</i>						Rupelian-Aquitainian	France
<i>C. purchisoni</i>							Germany?
<i>C. n.sp.</i>						U.Pliocene	Haile 7C (US)
<i>C. osceola</i>							
<i>C. sculpta</i>							
<i>C. serpentina</i>	living Snapping Turtle					Hemphillian-Recent	E USA

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
C. sp.						U.Pliocene-Rancholabrean	Florida (US)
C. sp.						Pleistocene	Nebraska (US)
C. sp.						Pleistocene	Texas (US)
C. stricta						Barstovian	Nebraska (US)
Chelydrops						U.Miocene	N America
Chelydropsis						Oligocene-Miocene	Europe, Asia
C. apellanizi						Aquitanian-Burdigalian	Spain
C. purchisoni						Miocene	Poland
C. sp.						Orleanian	Mauvieres, La Brosse (France)
C. sp. Group sanctihenrici	see	Palaeochelys	costula				
Chelydura	see	Chelodina					
Chelymys	see	Emydura					
Chelyodina	see	Chelodina					
Chelyopsis						Oligocene	Europe
Chelys	see	Chelus					
Chelytherium	see	Proterochersis	robusta			U.Triassic	Europe
C. obscurum						U.Triassic	Europe
Chelyzoon						M.-U.Triassic	Germany
Chemelys	see	Trionyx					
Chengyuchelys	18 cm?					M.Jurassic-L.Cretaceous	China
C. baenoides						M-U.Jurassic	Sichuan (China)
C. dashanpuensis						M.Jurassic	Sichuan (China)
C. zigongensis						M.Jurassic	Sichuan (China)
Chersina	see	Testudo					
Chersine	see	Testudo					
Chersinella	see	Testudo					
Chersobius	see	Homopus					
Chersus	see	Testudo					
Chinemys						Oligocene-Pleistocene	E Europe, China, Europe
Chisternon						M.Eocene	W USA
C. interpositum							
C. sp.						Bridgerian	Wyoming (US)
C. undatum						Bridgerian	Wyoming (US)
Chisternum	probably	Chisternon					
C. undatum	see	Baena	undata				
Chitra						Pleistocene	E India, S Asia
C. cf. Indicus						M-U.Miocene	Nepal
C. indica						M-U.Miocene	
C. minor							
C. selenkae							
Chitracephalus				25 cm		L.Cretaceous	Belgium
C. dumoni						Aptian	Bernissart (Belgium)
Chlamys	an invertebrate						
C. septemradiatus							
Chloremys	see	Dermatemys					
Chorlakkichelys						Eocene	Pakistan
C. shahi						Eocene	Pakistan
Chrysemys						Eocene-Pleistocene	Asia, Europe, N thru S America
C. antiqua	19 cm					Chadronian-Whitneyan	Nebraska, S Dakota (US)
C. astrei	see	Palaeochelys	astrei & Cuvierichelys	sp. Group iberica			
C. bicarinata	see	Owenemys	testudiniformis				
C. caelata						Hemphillian	Florida (US)
C. elegans	see	Cuvierichelys	sp. Group iberica				
C. extincta						Pleistocene	Florida (US)
C. germanica	see	Borkenia	germanica				
C. iberica	see	Cuvierichelys	iberica & Cuvierichelys	sp. Group iberica			
C. inflatus						Miocene	Florida (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>C. inornata</i>	see <i>Pseudograptemys inornata</i>						
<i>C. lachati</i>	see <i>Cuvierichelys</i> sp. Group <i>iberica</i>						
<i>C. marginata</i>							
<i>C. petrolei</i>						Pleistocene	Florida (US)
<i>C. picta</i>	living Painted Turtle					Barstovian-Recent	USA
<i>C. p. belli</i>	15 cm						
<i>C. scripta</i>						Pleistocene	Florida (US)
<i>C. sculpta</i>						Pleistocene	Florida (US)
<i>C. sp.</i>						Pleistocene	Florida (US)
<i>C. sp.</i>						Barstovian	Nebraska (US)
<i>C. testudiniformis</i>	see <i>Owenemys testudiniformis</i>						
<i>C. timida</i>						Pleistocene	USA
<i>C. trulla</i>						Pleistocene	Texas (US)
<i>Chyrsemys</i>	invalid spelling of <i>Chrysemys</i>						
<i>Cimochelys</i>				30 cm		L.Cretaceous	England
<i>C. benstedii</i>	see <i>Rhinochelys benstedii</i>					Albian-Turonian	England
<i>Cimoliochelys</i>	see <i>Cimochelys</i>						
<i>Cinctisternum</i>	see <i>Trionyx</i>						
<i>Cinixys</i>	see <i>Kinixys</i>						
<i>Cinosternon</i>	see <i>Kinosternon</i>						
<i>Cinosternum</i>	see <i>Kinosternon</i>						
<i>Cinothorax</i>	see <i>Kinixys</i>						
<i>Cistoclemmys</i>	see <i>Cyclemys</i>						
<i>Cistuda</i>	see <i>Terrapene</i>						
<i>Cistudo</i>	see <i>Terrapene</i>					Miocene-Recent	N America
<i>C. anhaltina</i>							
<i>C. europaea</i>							
<i>C. heeri</i>	see <i>Ptychogaster?</i>						
<i>C. lutaria</i>							
<i>C. morloti</i>	see <i>Ptychogaster?</i>						
<i>C. portisi</i>							
<i>C. razoumowsky</i>	see <i>Ptychogaster?</i>						
<i>Claudius</i>						Recent	C America
<i>C. angustatus</i>							
<i>Clemmydopsis</i>	see <i>Geoemyda?</i>					Miocene-Pliocene	Europe
<i>C. sopronensis</i>							
<i>Clemmys</i>						Cretaceous-Holocene	USA, Canada, Hungary, China
<i>C. bachmani</i> (backmani)						Campanian-Maastrichtian	Montana (US), Alberta (Cnda)
<i>C. caspica</i>							
<i>C. gaudryi</i>	see <i>Mauremys gaudryi</i>						
<i>C. guntiana</i>	see <i>Mauremys sarmatica</i> & <i>Mauremys</i> sp.						
<i>C. guttata</i>	living Spotted Turtle					Pleistocene-Recent	Florida (US)
<i>C. hemispherica</i>							
<i>C. hesperia</i>						Hemphillian	Oregon (US)
<i>C. iliensis</i>							
<i>C. insculpta</i>							
<i>C. laurenti</i>	see <i>Provencemys laurenti</i>						
<i>C. manuascensis</i>	see <i>Provencemys lachati</i>						
<i>C. marmorata</i>						Clarendonian-Rancholabrean	California (US)
<i>C. mehelyi</i>						Pleistocene	Hungary
<i>C. morrisiae</i>						Eocene	Wyoming (US)
<i>C. owyheensis</i>						Hemphillian	Oregon (US)
<i>C. protogaea</i>	see <i>Promalacoclemmys protogaea</i>						
<i>C. pygolopha</i>	see <i>Mauremys pygolopha</i>						
<i>C. romani</i>	see <i>Mauremys gaudryi</i>						
<i>C. sarmatica</i>	see <i>Mauremys sarmatica</i>						
<i>C. saxea</i>						Barstovian	Oregon (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>C. sophiae</i>	see <i>Mauremys sarmatica</i>						
<i>C. sp.</i>						U.Mioc,U.Pleistocene	Florida (US)
<i>C. sp.</i>						Clarendonian	Nebraska (US)
<i>C. sp.</i>						Blancan-Irvingtonian	California (US)
<i>C. sp.</i>						Barstovian	Nebraska (US)
<i>C. sp. Cf. Laurenti</i>	see <i>Provencemys laurenti</i>						
<i>C. ukoi</i>							
<i>C. vidali</i>	see <i>Landreatchelys oweni</i>						
<i>Coelognathus</i>	see <i>Trionyx</i>						
<i>Colossochelys</i>	see <i>Testudo</i>						
<i>C. atlas</i>						Turolian-Pleistocene	India, Greece (Samos Island), Pakistan
<i>C. cf. Atlas</i>						Turolian	Greece
<i>Colpochelys</i>	see <i>Lepidochelys</i>						
<i>Compsemys</i>						U.Cretaceous-Paleocene	W USA, Mexico
<i>C. lineolata</i>						U.Cretaceous	Colorado (US)
<i>C. obscurus</i>						Maastrichtian	Montana (US)
<i>C. parva</i>						U.Cretaceous	Wyoming (US)
<i>C. plicatulus</i>	see <i>Glyptops plicatulus</i>						
<i>C. sp.</i>						Maastrichtian	Montana (US)
<i>C. sp.</i>						Torrejonian	New Mexico (US)
<i>C. vafer</i>						U.Cretaceous	Wyoming (US)
<i>C. victa</i>						Campanian-Torrejonian	W USA, Mexico
<i>Comsemys</i>	see <i>Compsemys</i>						
<i>Conchochelys</i>	see <i>Trionyx</i>						
<i>C. admirabilis</i>						Puercan	New Mexico (US)
<i>Coptopelta</i>	see <i>Trionyx</i>						
<i>Coriudo</i>	see <i>Dermochelys</i>						
<i>Corsochelys</i>						U.Cretaceous	E USA
<i>C. haliniches</i>	1.3 m					Campanian	Alabama (US)
<i>C. sp.</i>						Campanian	New Jersey (US)
<i>Cosmochelys</i>						M-U.Eocene	England, Nigeria
<i>C. dolloi</i>						M-U.Eocene	England, Nigeria
<i>Craspedochelys</i>						U.Jurassic	Europe
<i>Crassachelys</i>						L.Eocene	Tunisia
<i>C. neurirregularis</i>						L.Eocene	Tunisia
<i>Cratochelone</i>						L.Cretaceous	Australia
<i>C. berneyi</i>				2.25 m		Albian	Queensland (AU)
<i>Crossochelys</i>						Eocene	Argentina
<i>C. corniger</i>						Casamayoran	Argentina
<i>Cryptodira</i>				25 cm		L.Cretaceous	China
<i>Cryptopus</i>	see <i>Lissemys</i>						
<i>Ctenochelys</i>						U.Cretaceous	USA, Great Britain
<i>C. acris</i>	see <i>Ctenochelys stenoporus</i>						Alabama (US)
<i>C. elkader</i>						U.Cretaceous	Kansas (US)
<i>C. stenoporus (stenopora)</i>	80 cm					Coniacian-Campanian	Kansas, Alabama (US) Great Britain
<i>C. tenuitesta</i>	see <i>Ctenochelys stenoporus</i>						Alabama (US)
<i>Cuchoa</i>	see <i>Kachuga</i>						
<i>Cucullemys</i>						L-M.Oligocene	France
<i>C. crocheti</i>	20 cm?					M.Oligocene	France
<i>C. sp.</i>	12 cm?					L.Oligocene	Alpes-de-Haute (FR)
<i>Cuora</i>						Pliocene-Pleistocene	China, Japan
<i>C. pitheca</i>	17 cm?					Pleistocene	Japan
<i>C. sp.</i>						Pleistocene	Ma Kai Valley (China)
<i>Cuvierichelys</i>						U.Eocene-U.Oligocene	England, Spain, France
<i>C. crassa</i>						Priabonian	England
<i>C. iberica</i>						U.Oligocene	Spain
<i>C. parisiensis</i>						Priabonian	France

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
C. sp. Group iberica						Stampian	Lerida (SP)
C. sp. Group parisiensis						U.Eocene	Roche-Ragot (FR) Yarmouth (ENG)
Cyclanorbis						Pliocene-Pleistocene	Lake Turkana (Kenya), E Africa
Cyclanosteus	see Cyclanorbis						
Cyclemys	see Cuora						
Cyclochelys	nomen nudum, see Bergouniouxchelys						
C. complanata	see Bergouniouxchelys vallisnerii						
C. perexpansa	see Bergouniouxchelys vallisnerii						
Cycloderma						Miocene-Pleistocene	Kenya
C. debroinae						U.Miocene	Kenya
C. frenatum						U.Miocene	Kenya
Cylindraspis	see Testudo						
C. indica							
C. inepta							
C. vosmaeri							
Cymatholcus						Eocene	N America
Cymatholeus	probably Cymatholcus					Oligocene	N America
Cynocercus						U.Cretaceous	W USA
C. incisus						U.Cretaceous	Kansas (US)
Cyrtura						U.Jurassic	Germany
C. temnospondyla						U.Jurassic	Germany
Cystoclemmys	see Cyclemys						
Dacocheilus						Eocene	Europe
Dacquemyx						U.Eocene-L.Oligocene	Egypt
D. paleomorpha						U.Eocene-L.Oligocene	Egypt
Damonia	see Malayemyx					Pliocene-Recent	Asia
Deirochelys						L.Miocene-U.Pleistocene	E USA
D. carri	27 cm?					Clarendonian-Hemphillian	Florida (US)
D. floridana						Pleistocene	Florida (US)
D. jarmani						Pleistocene	Florida (US)
D. reticularia	living Chicken Turtle					Blancan-Recent	Florida, Georgia (US)
D. sp.						L.Miocene	Florida (US)
Dermatemys						Holocene	N America, Guatemala
D. cf. Sp.						Quaternary	Estanzuela (Guatemala)
D. costilatus						Wasatchian	
D. mavii						U.Cretaceous-Recent	SE USA to Guatemala
D. sp.						Quaternary	Santa Amelia (Guatemala)
D. wyomingensis						Bridgerian	Wyoming (US)
Dermatochelis	see Dermochelys						
Dermatochelys	see Dermochelys						
Dermochelis	see Dermochelys						
Dermochelys						Miocene-Holocene	Oceans
D. coriacea	living Leatherback Sea Turtle					Recent	Oceans
D. sp.						Anversian	Belgium
D. spp.						Placenzian	Belgium
Desmatochelys						L-U.Cretaceous	W USA, Colombia
D. lowi	1.2 m	29 cm				Turonian	S Dakota, Nebraska, Kansas (US), Hokkaido (Japan)
D. sp.						L.Cretaceous	Colombia
Desmemys						L.Cretaceous	Europe
D. bertelsmanni							
Devisia	see Chelydra						
Dhongoka	see Kachuga						
Didicla	see Terrapene						
Digerrhum	see Pleurosternon						
Dinochelys						U.Jurassic	USA
cf. D. whitei						U.Jurassic	Utah (US)
D. sp.						Tithonian	Wyoming (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
D. whitei	10.5cm					Tithonian	Colorado, Wyoming, Utah (US)
Dirochelys	see Dirochelys						
Dithyrosternon						Oligocene	Europe
Dogania	see Trionyx						
D. maortuensis						Cretaceous	
D. subplana							
Dollochelys						U.Cretaceous-L.Eocene	Europe, USA
D. atlantica						Maastrichtian	New Jersey (US)
Dongoka	see Kachuga						
Dorsetochelys						L.Cretaceous	W USA, Europe
D. buzzops						U.Jurassic	W USA
Dracochelys						L.Cretaceous	China
D. bicuspis		9 cm				L.Cretaceous	Xinjiang (China)
Drazinderetes						Eocene	Pakistan
Dumerilia	see Podocnemis						
Echmatemys				30 cm		Eocene-Oligocene	USA, W Asia
cf. E. sp.						Chadronian	S Dakota, Wyoming (US)
E. aegle						Eocene	Wyoming (US)
E. arethusa						Eocene	Wyoming (US)
E. callopyge						Uintan	Utah (US)
E. cf. Sp.						Bridgerian	Wyoming (US)
E. cuthneta						Eocene	Wyoming (US)
E. cyane						Eocene	Wyoming (US)
E. euthneta						Wasatchian	Wyoming (US)
E. garmanii						Wasatchian	Wyoming (US)
E. haydeni						Bridgerian	Wyoming (US)
E. lativertebralis						Wasatchian	New Mexico (US)
E. megalax						Wasatchian	Wyoming, New Mexico (US)
E. naomi						Bridgerian	Wyoming (US)
E. ocyrrhoe						Bridgerian	Wyoming (US)
E. pusilla						Bridgerian	Wyoming (US)
E. septaria						Bridgerian	Wyoming, Colorado (US)
E. shaughnessiana						Bridgerian	Wyoming (US)
E. sp.						Wasatchian	Wyoming, Colorado (US)
E. stevensoniana	see E. stevensonianus					Bridgerian	Wyoming (US)
E. stecensonianus						Bridgerian	Wyoming (US)
E. testudinea						Wasatchian	N Dakota, Wyoming (US)
E. uintensis						Uintan	Utah (US)
E. wyomingensis						Bridgerian	Wyoming (US)
Egyptemys						Eocene	Egypt
E. eocaenus						Eocene	Egypt
Elephantopus	see Testudo						
Elkemys						Paleocene	China
E. australis						Paleocene	Guandun (China)
Elochelys						U.Cretaceous	Europe (France?, Italy?)
Elseya						Recent	Australia
E. sp.							S Alligator River (AU)
E. sp. Aff latisternum							Manning River (AU)
Emarginachelys						U.Cretaceous	Montana (US)
Emia	see Kachuga						
Emmenia	see Clemmys						
Emyda	see Lissemys or Emys					Pliocene-Recent	S Asia
Emydes	see Emys						
Emydoidea						Pliocene-Recent	USA
E. blandingii	living Blanding's Turtle					Irvingtonian-Recent	Pennsylvania (US)
Emydosaurus	see Chelydra						
Emydura						L.Oligocene-Recent	Australia, Tasmania

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
E. cf. Sp.						Miocene	Etadunna Fm(AU)
E. lavarakorom (lavarackorum)						Pleistocene-Recent	Queensland(AU)
E. macquarii	16 cm					Oligocene	Tasmania
E. s.l. sp.						Palaeocene-M.Oligocene	Proserpine Q(AU)
E. s.l. sp.A	20 cm?					Eocene	Redbank Plains (AU)
E. s.l. sp.B?						Eocene	Redbank Plains (AU)
E. sp.						M.Miocene	Namba Fm(AU)
E. sp.							Tasmania
Emyoides	see Terrapene						
Emys				25 cm		U.Jurassic-Recent	N Africa,W Asia,Europe, W USA
E. benstedii	see Cimochelys benstedii						
E. bicarinata	see Owenemys testudiniformis						
E. camperi							
E. charpentieri	see Promalacoclemmys laharpi						
E. cibollensis	possibly Emys euthneta						
E. crassus	see Cuvierichelys crassa & Cuvierichelys parisiensis						
E. culbertsonii (culbertsoni)	see Stylemys nebrascensis						
E. cuvieri						U.Eocene	Italy?
E. etalloni						U.Jurassic	France
E. europaea	see Emys orbicularis						
E. euthneta (euthnetus)						Wasatchian	Wyoming (US)
E. fuliginosus	see Mauremys leprosa						
E. gaudini	see Kinixys gaudini						
E. gaudryi	see Mauremys gaudryi						
E. gessneri	see Promalacoclemmys protogaea						
E. gravis	see Notomorpha gravis						
E. haydeni						Bridgerian	Wyoming (US)
E. hemispherica (hemispheric)	see Stylemys nebrascensis						
E. hordwellensis	see Cuvierichelys parisiensis & Cuvierichelys crassa						Hordwell Beds (England?)
E. jeansi	see Emys wyomingensis						
E. laharpi	see Promalacoclemmys laharpi						
E. latilabiatus (latilabiatus)	25.5cm					Bridgerian	Wyoming (US)
E. lativertebralis						Wasatchian	New Mexico (US)
E. leprosa	see Mauremys leprosa						
E. lignitarum	indeterminate material, see Ptychogaster?						
E. lutaria							
E. l. marsili							
E. l. taurica							
E. megalax						Wasatchian	Wyoming (US)
E. menkei	see Plesiochelys menkei						
E. nebrascensis						Oligocene	Wyoming (US)
E. nicoleti	see Ptychogaster?						
E. obscurus						Maastrichtian	Montana (US)
E. orbicularis				23 cm		Pliocene-Holocene	Africa,Asia,Europe
E. oweni	see Stylemys nebrascensis						
E. pachylomus	see Emys megalax						
E. parisiensis	see Cuvierichelys parisiensis						
E. polycypha (polycyphus)						Bridgerian	Wyoming (US)
E. portisi	see Mauremys portisi						
E. protogaea	see Promalacoclemmys protogaea						
E. pygolopha	see Mauremys pygolopha						
E. renevieri	see Promalacoclemmys laharpi						
E. scutella							
E. septarius (septaria)	44 cm?					Bridgerian	Wyoming (US)
E. shaughnessiana	38 cm					Bridgerian	Wyoming (US)
E. stevensonianus	see Echmatemys?						
E. strandi							

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>E. sulcata</i>	see	Promalacoclemmys	laharpi				
<i>E. terrestris</i>						Bridgerian	Wyoming (US)
<i>E. testudinea</i>	see	Echmatemys?				Wasatchian	Wyoming (US)
<i>E. testudiniformis</i>	see	Owenemys	testudiniformis				
<i>E. tuberculata</i>	see	Palaeomauremys	tuberculata				
<i>E. wyomingensis</i>						Bridgerian	Wyoming (US)
<i>Emysaurus</i>	see	Chelydra					
<i>Enaliochelys</i>	see	Thalassemys					
<i>Eochelone</i>						M.Eocene	Europe
<i>E. barbantica</i>	see	Eochelone	brabantica				Europe
<i>E. brabantica</i>						M.Eocene	England, Belgium, France
<i>Eochelys</i>	see	Lytoloma					
<i>E. crassicosata</i>	see	Lytoloma	crassicostatum				Isle of Sheppey (G Britain)
<i>Eosphargis</i>						L.Eocene	Europe
<i>E. breineri</i>						Ypresian	Denmark
<i>E. gigas</i>						Ypresian	England, Belgium
<i>Epiemys</i>						Pliocene	China
<i>Equelinnesia</i>						Eocene	N Europe
<i>E. molnaria</i>							
<i>E. planimentum</i>						Ypresian	England
<i>Eremonia</i>	see	Caretta					
<i>Eretmochelis</i>	see	Eretmochelys					
<i>Eretmochelys</i>						L.Pliocene	E USA
<i>E. sp.</i>						L.Pliocene	Florida (US)
<i>Ergilemys</i>	see	Testudo				U.Eocene	Mongolia
<i>E. insolitus</i>						U.Eocene	Mongolia
<i>Ergylimus</i>						U.Eocene	Mongolia
<i>E. insolitus</i>						U.Eocene	Mongolia
<i>Eritmochelys</i>	see	Eretmochelys					
<i>Erquelinnesia</i>	see	Puppigerus					
<i>E. molaria</i>	see	Osteopygis	emarginatus				
<i>E. planimentum</i>						Ypresian	England, Belgium
<i>Eryma</i>	see	Clemmys					
<i>Erymnochelys</i>	see	Podocnemis					
<i>Eubaena</i>						U.Cretaceous	W USA
<i>E. cephalica</i>						Maastrichtian	Montana (US)
<i>E. cf. Sp.</i>						Maastrichtian	Montana (US)
<i>E. sp.</i>						Maastrichtian	Montana (US)
<i>Euchelonia</i>	see	Chelonia					
<i>Euchelymys</i>	see	Emydura					
<i>Euchelys</i>	see	Chelonia					
<i>Euclastes</i>	see	Osteopygis					
<i>E. melii</i>	see	Chelone	melii				
<i>Eupachemys</i>	see	Testudo					
<i>Euroemys</i>						L-M.Eocene	France, Germany
<i>E. kehleri</i>	26 cm?					Lutetian	Germany
<i>E. sp.</i>						Ypresian	Monthelon, Grauves, Cuis (FR)
<i>E. vidalenci</i>	18 cm?					Lutetian	France
<i>Euryaspis</i>	see	Eurysternum					
<i>Eurycephalochelys</i>						L.Eocene	England
<i>Euryespis</i>	see	Eurysternum				U.Jurassic	Europe
<i>Eurysternum</i>						U.Jurassic	Germany, France
<i>E. crassipes</i>						U.Jurassic	Germany
<i>E. sp.</i>						Tithonian	Germany, France
<i>E. wagneri</i>							
<i>Eusarkia</i>						Eocene	Tunisia, Nigeria, Zaire
<i>E. rotundiformis</i>						L.Eocene	Tunisia, Nigeria, Zaire

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Ferganemys						U.Jurassic	China
F. itemirensis	40 cm					Cenomanian	Sichuan (China)
F. tatsuensis						U.Jurassic	Sichuan (China)
F. verzilini	20 cm					Albian	Fergana (Kirgizstan)
Floridemys						Miocene	USA
F. nana						Arikareean	Florida (US)
F. nanus	10 cm?					Oligocene or Miocene	Florida (US)
Fordia	see Trionyx						
Foxemys						U.Cretaceous	France
F. mechinorum						Maastrichtian	France
Francellia						L.Eocene	France, Germany
F. messeliana	8 cm?					Ypresian	France, Germany
F. salouagmirae	12 cm?					Ypresian	France
F. sp.						Ypresian	Herault (FR)
Gafsachelys						L.Eocene	Netherlands, (N Africa?)
G. phosphatica						L.Eocene	Netherlands
Galianemys						U.Cretaceous	Morocco
G. emringeri						Cenomanian	Morocco
G. whitei						Cenomanian	Morocco
Geochelone				122 cm		Eocene-Holocene	Asia, Europe, Africa, N & S America
G. abrupta	80 cm					Holocene	Madagascar
G. angusticeps						Hemingfordian	Nebraska (US)
G. atlas						U.Pliocene	India
G. brontops	see Hesperotestudo	brontops					
G. campester						L.Pleistocene	Texas (US)
G. cf. Orthopygia						Hemingfordian	Nebraska (US)
G. crassicatata						Irvingtonian	Florida (US)
G. crassiscutata	121 cm		59 cm			Irvingtonian-Rancholabrean	Florida, S Carolina (US)
G. cyclopygia						Clarendonian	Kansas (US)
G. elephantopus	living galapagos tortoise						
G. e. (galapagoensis)							
G. farri						Barstovian-Clarendonian	S Dakota, Montana (US)
G. gigantea						U.Pleistocene	Aldabra Island
G. gouffei							
G. grandidieri	1.2 m					Holocene	Madagascar
G. hesperotestudo						Blancan	Texas (US)
G. hesterna						Friasian	Colombia
G. impensa						Miocene	Montana (US)
G. incisa						Rancholabrean	Florida (US)
G. insolitus						L.Oligocene	Mongolia
G. kaiseni						L.Oligocene	Mongolia
G. ligonia						Oligocene	S Dakota (US)
G. majuscula						Eocene	New Mexico (US)
G. nanus						L.Oligocene	Mongolia
G. oelrichi						Blancan	Nebraska (US)
G. orthopygia						Clarendonian	Kansas (US)
G. o. angusticeps						Hemingfordian	Nebraska (US)
G. osborniana	40 cm					Barstovian	Colorado (US)
G. oskarkuhni						L.Pliocene	Mongolia
G. pansa						Barstovian	Colorado (US)
G. pardalis				36 cm		Pliocene-Recent	Tanzania
G. sombreroensis						Rancholabrean	Sombrero Island
G. sp.						Blancan	Arizona (US)
G. sp.						Barstovian	Colorado (US)
G. sp.	122 cm					Clarendonian-Irvingtonian	Kansas (US)
G. sp.						Hemingfordian-Rancholabrean	Nebraska, Florida (US)
G. sp.						U.Pliocene	d'Ahl al Oughlam (Morocco)

Genus/Species	Shell	Skull	Ht	Lt	Wt	Stage	Range
G. sp.						Blancan-Irvingtonian	California (US)
G. sp.						Irvingtonian	Pennsylvania (US)
G. sp.						U.Miocene	Gracias (Honduras) Hormiguero (El Salvador)
G. sumieri (sumeirei)				122 cm		Pleistocene	Madagascar
G. tedwhitei						Hemingfordian	Florida (US)
G. thompsoni	see	Gopherus	laticuneus				
G. turgida						Blancan	Texas (US)
G. ulanensis						U.Eocene	Mongolia
G. wilsoni						U.Pleistocene	Great Plains (US)
Geoclemmys	see	Geoclemmys				Pleistocene-Holocene	Japan
Geoclemys						Pleistocene-Holocene	India
G. sivalensis						Pleistocene	India
Geoemyda						Eocene-Pleistocene	E Asia, C & S America, Europe
G. spinosa							
G. trijuga	see	Melanochelys	trijuga				
G. ukoi							Austria
Geoemys	see	Geoemyda					
Geoliemys	see	Clemmys					
Glarichelys						Eocene-L.Oligocene	Europe
G. knorri (knorrii)						Eocene-L.Oligocene	Czechoslovakia, Switzerland
G. ovata						L.Oligocene	Switzerland
Glaucochelone						U.Cretaceous	Europe
Glossochelys	see	Puppigerus					
Glyptemys	see	Clemmys					
Glyptochelone	105 cm					U.Cretaceous	Belgium, Netherlands
G. suyckerbuykii	105 cm					Maastrichtian	Belgium, Netherlands
Glyptops						U.Jurassic	N America, Europe
G. depressus						Tithonian	Colorado (US)
G. ornatus	see	Glyptops	plicatulus				
G. pervicax						L.Cretaceous	Montana (US)
G. plicaculus	see	Glyptops	plicatulus				
G. plicatulus (plicatalus)						Tithonian	Wyoming (US)
G. plicatus						Tithonian	Wyoming (US)
G. ruetimeyeri						U.Jurassic	Purbeck Beds (England)
G. sp.						Tithonian	Wyoming (US)
Gomphopelta	see	Trionyx					
Goniochelys	see	Kinosternon					
Goniochersus	see	Testudo					
Gopher	see	Testudo					
Gopherus						Oligocene-Recent	USA
G. agassizi						Blancan-Rancholabrean	California (US)
G. berlandieri	living	Texas	Tortoise				
G. brevisternus						Miocene	
G. canyonensis (canonensis)						Blancan	Arizona, Texas (US)
G. copei						Hemingfordian	Montana (US)
G. donlaloii							
G. edae	nomen	vanum					
G. hexagonatus	nomen	vanum					
G. huecoensis						Blancan	Arizona (US)
G. laticuneus (laticunea)	54 cm	9 cm				Chadronian-Orellan	Wyoming, Colorado, S Dakota (US)
G. mohavetus							
G. neglectus						Arikareean	California (US)
G. pansus						Miocene	
G. polyphemus	living	Gopher	Tortoise			Irvingtonian-Recent	Florida, Georgia (US)
G. praecedens	nomen	vanum					
G. praeextans	see	Gopherus	laticuneus				
G. preextans	possibly	G. praeextans?				Oligocene	S Dakota (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
G. sp.						L.Miocene-U.Pliocene	Florida (US)
G. sp.						Barstovian	Nebraska (US)
G. sp.						Blancan-Irvingtonian	California (US)
G. sp.cf. Edae						Hemingfordian	Wyoming (US)
G. vagus						Miocene	
Graptemys						U.Pliocene-U.Pleistocene	USA
G. barbouri	living Barbour's Map Turtle					Blancan-Recent	Florida (US)
G. cordifera	see Pseudograptemys inornata						
G. inornata	see Pseudograptemys inornata					Chadronian	S Dakota (US)
G. sp.						Barstovian	Texas (US)
Gravemys						U.Cretaceous	Mongolia
G. barsboldi	27 cm					Maastrichtian	Nemegt (Mongolia)
Grayemys						Eocene	W Asia
Gymnopodus	see Trionyx						
Gymnopus	see Trionyx						
Gyptochelys	see Macrochelys						
Gyremys						U.Cretaceous	W USA
G. spectabilis						Campanian	Montana (US)
Hadrianus	see Testudo						
H. allabiatius	46 cm					Bridgerian	Wyoming (US)
H. carsoni						Uintan-Bridgerian	California, Wyoming (US)
H. corsoni	75 cm					Bridgerian	Wyoming (US)
H. majusculus	see Geochelone majuscula					Eocene	New Mexico (US)
H. octonarius	73 cm					Bridgerian	Wyoming (US)
H. quadratus	see Hadrianus carsoni						
H. robustus						Bridgerian	Wyoming (US)
H. schucherti	80 cm					U.Eocene	Alabama (US)
H. sp.						Bridgerian-Duchesnean	Oregon (US)
H. sp.						Bridgerian	Texas (US)
H. tumidus						Uintan	Utah (US)
Haichemys	20 cm?					U.Cretaceous	Mongolia
H. ulensis	17 cm					Maastrichtian	Nemegt (Mongolia)
Halichelys	see Caretta						
Hamadachelys						U.Cretaceous	Morocco
H. escuilliei						Cenomanian	Morocco
Hanbogdemys	70 cm					U.Cretaceous	Mongolia
H. orientalis	70 cm					Turonian-Santonian	Bayanshiree (Mongolia)
Hangaemys	35 cm					L.Cretaceous	Mongolia
H. hoburensis	24 cm?	4.5 cm				Valanginian-Albian	Mongolia
H. kansuensis	see Hangaemys leptis?						
H. leptis	20 cm?					Albian?	Mongolia
Hardella						Pliocene-Pleistocene	India
H. isoclina							
Hayemys						U.Cretaceous	W USA
H. latifrons						Maastrichtian	Wyoming (US)
Heishanemys						U.Cretaceous	E Asia
Helemys	see Platycheilus						
Helocheilydra						L.Cretaceous	Europe
Helocheilus						U.Cretaceous	Germany
H. danubina							S Germany
Helopanoplia	see Trionyx						
H. distincta						Maastrichtian	Montana (US)
H. sp.						Maastrichtian	N Dakota, Montana, Wyoming (US)
Hemichelys						Eocene	India
Heocheilydra	see Tretosternon						
Heosemys	see Geoemyda						
Heptathyra	see Cycloderma						

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Herpysmolestes	see Eretmochelys						
Hesperotestudo	see Testudo					M.Miocene-U.Pleistocene	USA, Bermuda
H. alleni						U.Miocene-L.Pliocene	Florida (US)
H. bermudae						Pleistocene	Bermuda
H. brontops	75 cm					Chadronian	S Dakota (US)
H. campester						Blancan-Ranholabrean	Florida (US)
H. crassiscutata						Hemingfordian-Ranholabrean	Georgia, Florida (US)
H. farri	see Geochelone farri						
H. hayi						Arikareean-L.Blancan	Florida (US)
H. incisa	60 cm?					Ranholabrean	Florida, Georgia (US)
H. mylnarskii						L-M.Pleistocene	Florida (US)
H. sp.						M.Miocene-L.Pleistocene	Florida (US)
H. sp.						Whitneyan	S Dakota (US)
H. tedwhitei						Arikareean-Hemingfordian	Florida (US)
H. turgida							
Heteroclemmys	see Orlitia						
Hieremys						Recent	S Asia
Hokouchelys						L.Paleocene-Eocene	China
H. chenshuensis						Puercan	Nanxiong, Guangdong (China)
Homopus						Eocene-Recent	Europe, Africa
H. fenestratus							S Africa
Homorophus						U.Cretaceous	N America
Hongilemys						U.Cretaceous	Mongolia
H. kurzanovi	22 cm					Santonian	Baruungoyot (Mongolia)
H. martinsoni						Turonian-Santonian	Bayanshiree (Mongolia)
Hoplochelys						Paleocene-Oligocene	W USA, Mexico
H. bicarinata						Lancian	Wyoming (US)
H. crassa						Puercan	New Mexico (US)
H. paludosa						Torrejonian	New Mexico (US)
H. saliens						Torrejonian	New Mexico (US)
H. sp.						Torrejonian-Wasatchian	Wyoming (US)
H. sp.						Campanian	Coahuila (Mxco)
Hybemys						M.Eocene	W USA
H. arenarius						Bridgerian	Wyoming (US)
Hydraspis	see Carteremys or Chelodina					Eocene	India
H. leithii						Eocene	India
Hydromedusa						Eocene-Pleistocene	Argentina
H. maximiliani							Argentina
Hydrone	see Testudo						
Hydropelta	see Eurysternum					U.Jurassic	Europe
Hylaeochelys	see Plesiochelys					U.Jurassic-L.Cretaceous	Europe
Ida	see Trionyx						
Idiochelys						U.Jurassic	France
I. Fitzingeri						Tithonian	France
I. Sp.						U.Jurassic	Rhone-Alpes (FR)
Impregnochelys						L.Miocene	E Africa
Indochelys						L.Jurassic	India
I. Spatulata	23 cm		5 cm			L.Jurassic	Kota (India)
Indotestudo	see Testudo						
Isola	see Trionyx						
Isometremys						Eocene	China
I. Lacuna						Eocene	Guangdong (China)
Jastmelchyi	see Tienfucheloides jastmelchyi						
Jepsibaena						L.Eocene	W USA
J. minor						Wasatchian	Wyoming (US)
Jerdonella	see Kachuga						
Juvenmys						L-M.Eocene	France, Germany

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>J. labarrerei</i>	12 cm?					Ypresian-Lutetian	France
<i>J. sp.</i>						Lutetian	Messel (Germany)
<i>Kachuga</i>						Pliocene-Holocene	India, Nepal
<i>Kallistira</i>						Eocene	N America
<i>Kallokibotion</i>						U.Cretaceous	Romania
<i>K. bajazzidi</i>						Maastrichtian	Romania
<i>Kallokibotium</i>	see <i>Kallokibotion</i>					U.Cretaceous	Europe
<i>Kansuchelys</i>						U.Miocene-Oligocene	China
<i>K. chiayukuanensis</i>							Gansu (China)
<i>K. ovalis</i>							Shanxi (China)
<i>K. tsiyuanensis</i>	17 cm?						Henan (China)
<i>Kayentachelys</i>						L.Jurassic	W USA
<i>K. aprix</i>						Sinemurian-Pliensbachian	Arizona (US)
<i>Kazachemys</i>						Miocene	Kazakhstan
<i>Kenyamys</i>						Pliocene	Kenya
<i>K. williamsi</i>						Pliocene	Kenya
<i>Khunnuchelys</i>						U.Cretaceous	China
<i>K. erinholensis</i>						Campanian-Maastrichtian	Erenhot (China)
<i>Kinixys</i>						Oligocene-Pleistocene	Europe, Africa
<i>K. gaudini</i>							
<i>Kinosternon</i>						U.Miocene-Recent	N & S America
<i>K. arizonense</i>						Blancan	Arizona (US)
<i>K. bauri</i>						U.Blancan-Rancholabrean	Florida (US)
<i>K. cf. Sp.</i>						Rancholabrean	Florida (US)
<i>K. flavescens</i>						Blancan	Arizona, Nebraska (US)
<i>K. f. stejnegeri</i>	see <i>Kinosternon arizonense</i>					Blancan	Arizona (US)
<i>K. minor</i>						Rancholabrean	Florida (US)
<i>K. sp.</i>						U.Miocene-L.Pleistocene	Florida (US)
<i>K. sp.</i>						Blancan	Arizona (US)
<i>K. sp.</i>						Blancan-Irvingtonian	California (US)
<i>K. sp.</i>						Hemphillian	Hidalgo (Mxco)
<i>K. sp.</i>						Rancholabrean	Georgia (US)
<i>K. subrubrum</i>						Hemphillian-Rancholabrean	Florida (US)
<i>Kinosternum</i>	see <i>Kinosternon</i>						
<i>Kinothorax</i>	see <i>Kinixys</i>						
<i>Kinyxis</i>	see <i>Kinixys</i>						
<i>Kirgizemys</i>						M.Cretaceous	Kirgizstan, Uzbekistan, Russia
<i>K. dmitrievi</i>						Neocomian	Buryatia (Siberia)
<i>K. exaratus</i>	23 cm?					Albian	Kirgizstan
<i>K. kansuensis</i>	fragmentary material						Gansu (China)
<i>Kizylkumemys</i>	35 cm?					U.Cretaceous	Uzbekistan, Mongolia
<i>K. schultzi</i>	30 cm					Cenomanian-Turonian	Uzbekistan, Mongolia
<i>K. sp.</i>						Aptian-Albian	Mongolia
<i>Kurmademys</i>						U.Cretaceous	India
<i>K. kallamedensis</i>						Maastrichtian	India
<i>Landemania</i>	see <i>Trionyx</i>						
<i>Landreatchelys</i>						M-U.Eocene	England, France
<i>L. oweni</i>	16 cm?					Bartonian-Priabonian	England, France
<i>Lembonax</i>	see <i>Eosphargis</i>						
<i>L. insularis</i>	see <i>Eosphargis</i>					Eocene	New Jersey (US)
<i>L. polemicus</i>						Cretaceous	Greensand, New Jersey (US)
<i>L. propylaeus</i>						Eocene	Marl Beds, New Jersey (US)
<i>Lepidochelys</i>						L.Pliocene	E USA
<i>L. sp.</i>						L.Pliocene	Florida (US)
<i>Liemys</i>	see <i>Orlitia</i>						
<i>Limnochelone</i>	see <i>Dermatemys</i>						
<i>Lindholmemys</i>	25 cm					U.Cretaceous	Uzbekistan, Kazakhstan

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
L. elegans	30 cm?					Turonian-Coniacian	Dzharakuduk (Uzbekistan)
L. gravis						Turonian-Santonian	Yalovach (Kazakhstan)
Lissemys						Pliocene-Pleistocene	Pakistan, Nepal
L. punctata						M-U.Miocene	Nepal
L. sp.						Miocene	Pakistan
Lophochelys						U.Cretaceous	N America
L. natarix	see Ctenochelys stenoporus						
L. niobrarae	see Toxochelys latiremis						
L. venatrix	Ctenochelys stenoporus						Alabama (US)
Lutremys	see Emys						
Lytoloma	see Osteopygis						Great Britain, Tunisia
L. angusta	see Osteopygis emarginatus & Dollochelys atlantica						New Jersey (US)
L. cantabrigensis	see Rhinochelys pulchriceps						
L. cantabrigiense	70 cm					Albian-Cenomanian	Great Britain
L. crassa	see Lytoloma elegans						
L. crassicostatum	see Neurochelys or Erquelinnesia						
L. elegans						Eocene	Tunisia
L. gosseleti	see Neurochelys or Erquelinnesia						
L. jeanesi						U.Cretaceous	New Jersey (US)
L. planimentum	see Erquelinnesia planimentum					Ypresian	England
L. platyops						Cretaceous	New Jersey (US)
L. wielandi	see Osteopygis emarginatus & Dollochelys atlantica						
Macrobaena						Eocene	E Asia
M. mongolica							
Macrocephalochelys						Pliocene	N Black Sea
Macrochelys	see Psephophorus or Testudo						
M. sp.						Barstovian	Nebraska (US)
M. temminckii							Texas (US)
Macroclermys	see Macroclermys						
M. cf. Sp.	see Macroclermys cf. Sp.						
Macroclermys						Miocene-Pleistocene	USA, Europe
M. auffenbergi						Arikareean-Hemphillian	Florida (US)
M. cf. Sp.						Clarendonian	Nebraska (US)
M. schmidti						Clarendonian	S Dakota (US)
M. sp.						Hemingfordian-Hemphillian	Nebraska (US)
M. stricta						Barstovian	Nebraska (US)
M. temmincki (temnicki)	living Alligator Snapping Turtle					Blancan-Recent	Florida (US)
Malaclemmys	see Malaclemmys						
Malaclemmys						U.Pliocene	E USA
M. sp.						U.Pliocene	Florida (US)
M. terrapin						Blancan-Rancholabrean	Florida (US)
Malacochersus	see Testudo						
Malacoclemmys	see Malaclemmys						
Malayemys						Pliocene-Recent	Asia
Maloclemmys	see Malaclemmys						
Manchurochelys				30 cm		U.Jurassic	China
M. liaoxiensis						L.Cretaceous?	Liaoning (China)
M. manchouensis							Liaoning (China)
M. manchoukuoensis						U.Jurassic	Yixian (China)
Mandchurochelys	probably Manchurochelys					U.Jurassic	China
M. manchouensis	probably Manchurochelys					Tithonian	Shandong (China)
Manjurochelys	probably Manchurochelys					U.Jurassic	China
M. liaoxiensis							
Manouria						Eocene	Austria
M. cf. Eocaenica						Eocene	St. Pankraz, Salzburg (Austria)
M. majuscula	see Geochelone majuscula						
Manuria							

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Maomingchelys	see	Anosteira				U.Eocene	Guangdong Province (China)
Matamata	see	Chelus					
Mauremys	see	Clemmys?				U.Oligocene-Pleistocene	Asia, Europe, N Africa
M. aff. Gaudryi	see	Mauremys	gaudryi?			Pontian	Austria
M. caspica							Hungary
M. cf. Sarmatica						Astaracian	Germany
M. debroinae						M.Miocene	Germany
M. gaudryi						Ruscinian	France
M. guntiana	see	Mauremys	sarmatica &	Mauremys	sp.		
M. leprosa						Chattian	France, Morocco
M. massiliensis	16 cm?					Chattian	France
M. portisi						Astian	Italy
M. pygolopha						Orleanian	France, Austria
M. sarmatica	24 cm?					Astaracian	Austria, Germany
M. sophiae	see	Mauremys	cf. Sarmatica				
M. sp.						Astaracian	Germany
M. sp.						Ruscinian	France
M. sp. Group sarmatica-pygolopha						Orleanian-Astaracian	France, Germany
Medaestia	see	Testudo					
Megachersine	see	Testudo					
Megalochelys	see	Testudo					
M. gadowi							
Megasernon	invalid	spelling of	Megasternon,	see	Pleurosternon		
Megasternon	see	Pleurosternon					
Megasternum	see	Pleurosternon					
Megemys	see	Chelonia					
Meiolania				4.3 m		L.Oligocene-U.Pleistocene	Australia, Lord Howe Island, Walpole Island
M. brevicollis						Miocene	Australia
M. cf. Platyceps						Pleistocene	Queensland (AU)
M. mackeyi							
M. oweni		30 cm?		3 m?		Pleistocene	Queensland (AU)
M. platyceps		19 cm	30 cm	1.8 m		U.Pleistocene	Lord Howe Island & New South Wales (AU)
M. sp.							Australia
Melanemys	see	Clemmys					
Melanochelys	see	Geoemyda					
M. trijuga							
Mesochelys						L.Cretaceous	Europe
Mesoclemmys						Recent	S America
Mesodeca	see	Trionyx					
Mesodermochelys							
Microstega						U.Cretaceous	W USA
M. copei	80 cm					Santonian	Kansas (US)
Miochelys							W USA
M. fermini							California (US)
Miolania	see	Meiolania					
Mlynarskiella	18 cm?					U.Cretaceous	Mongolia
Monachelys	see	Testudo					
Mongolemys	35 cm			30 cm		U.Cretaceous-Paleocene	Mongolia, China
M. australis	see	Elkemys	australis			Puercan	Guangdong (China)
M. cf. Occidentalis						Albian	Mongolia
M. elegans	25 cm					Campanian-Maastrichtian	Nemegt (Mongolia)
M. planicostatus	belongs in	Aspideretes	sp. although	assigned	here	from	there
M. reshetovi						U.Paleocene	Mongolia
M. sp.		4.7cm				Maastrichtian	Nemegt (Mongolia)
M. tatarinovi						U.Paleocene	Mongolia
M. turfanensis						Maastrichtian-Puercan	Sichuan, Xinjiang (China)
Mongolochelys	80 cm?					U.Cretaceous	Mongolia

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
M. efremovi	65 cm	14 cm?				Maastrichtian	Nemegt (Mongolia)
M. sp.							
Monoclista	see Kinosternon						
Morenia						Recent	S Asia
Mydas	see Chelonia						
Mydasea	see Chelonia						
Naiadochelys						U.Cretaceous	W USA(S America?)
N. ingravata						U.Cretaceous	New Mexico(US)
Nanemys	see Clemmys						
Nanhsiungchelys	probably Nanshiungchelys					U.Cretaceous	China
N. wuchingensis	probably N. wuchingensis					Maastrichtian	Guangdong (China)
Nanshiungchelys	probably Nanshiungchelys						
Nanshiungchelys	1 m	30 cm?				U.Cretaceous	China
N. wuchingensis						Maastrichtian	Guangdong (China)
Naocephalus						M.Eocene	W USA
N. porrectus						Bridgerian	Wyoming (US)
Naomichelys	1 m					Cretaceous	USA
N. cf. Sp.						Campanian	Montana (US)
N. sp.						Aptian-Albian	Montana (US)
N. sp.						Cretaceous	Missouri (US)
N. sp.						Aptian	Texas (US)
N. speciosa						Albian-Campanian	Missouri, Montana (US) Mexico
Natator	see Chelonia						
Nectemys	see Pseudemys						
Neochelys						L.Eocene	Spain
N. arenarum							
N. zamorensis	25 cm					L.Eocene	Spain
Neoemys	see Emydoidea						
Neotestudo	see Testudo						
Neptunochelys	see Desmatochelys						
Nesovemys						L.Cretaceous	Mongolia
Neurankylus						U.Cretaceous-L.Paleocene	W USA, W Canada
N. baueri	see Neurankylus eximius						
N. cf. Eximius						Lancian	Wyoming (US)
N. eximius (eximus)						Campanian-Maastrichtian	Wyoming, Montana, New Mexico (US) Alberta (Cnda)
N. sp.						Maastrichtian	Montana (US)
N. wyomingensis	see Neurankylus eximius						
Neurochelys						L.Eocene	England
N. harvicensis						Ypresian	England, Zaire?
Neusticemys						U.Jurassic	Argentina
N. neuquina	50 cm					Tithonian	Argentina
Nicoria	see Geoemyda						
N. headonensis							
Nilssonina	see Trionyx						
Ninjemys						Pleistocene	Australia
N. oweni		30 cm?		3 m?		Pleistocene	Queensland (AU)
Niolamia				122 cm		U.Cretaceous	Argentina
N. argentina						U.Cretaceous	Argentina
Notoa	see Pelusios						
Notochelone				1 m		L.Cretaceous	Australia
N. costata	60 cm					Albian	Queensland (AU)
N. sp.						L.Cretaceous	Queensland (AU)
Notochelys	see Notochelone						
Notoemys						U.Jurassic	Argentina
N. laticentralis	25 cm					Tithonian	Vaca Muerta (Argentina)
Notomorpha						M.Eocene	W USA (Wyoming, Colorado?)
N. garmani	see Notomorpha gravis						

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range	
<i>N. gravis</i>						Wasatchian	Wyoming (US)	
<i>N. testudinea</i>	see <i>Emys testudinea</i>							
Ocadia						Eocene-Pleistocene	Europe, E Asia, Africa	
<i>O. crassa</i>	see <i>Cuvierichelys parisiensis</i> & <i>Cuvierichelys crassa</i>							Isle of Wight
<i>O. germanica</i>	see <i>Borkenia germanica</i>							
<i>O. hessleriana</i>	see <i>Promalacoclemmys protogaea</i>							
<i>O. kehleri</i>	see <i>Euroemys kehleri</i>							
<i>O. malthaneri</i>								
<i>O. messeliana</i>	see <i>Francellia messeliana</i>						Ypresian	France
<i>O. oweni</i>	see <i>Landreatchelys oweni</i>							
<i>O. parisiensis</i>	see <i>Cuvierichelys parisiensis</i>							
<i>O. perplexa</i>						Vindobonian	China	
<i>O. protogaea</i>	see <i>Promalacoclemmys protogaea</i>							
<i>O. p. var haslachiana</i>	see <i>Promalacoclemmys protogaea</i>							
<i>O. sophiae</i>	see <i>Mauremys sarmatica</i>							
Odontochelone	see <i>Trionyx</i>							
Oligochelone						Oligocene	Europe	
Onychochelys	see <i>Eretmochelys</i>							
Onychotria	see <i>Terrapene</i>							
Ophichelone	see <i>Chelydra</i>							
Ordodemys	misspelling of <i>Ordosemys</i>						L.Cretaceous	China
<i>O. leios</i>	see <i>Ordosemys leios</i>						L.Cretaceous	NMG (China)
<i>Ordosemys</i>						L.Cretaceous	China	
<i>O. leios</i>	15 cm?					L.Cretaceous	Inner Mongolia (China)	
Orlitia						Recent	Asia	
Oscaria	see <i>Trionyx</i>							
Osteopygis						L.Cretaceous-L.Paleocene	N America	
<i>O. borealis</i>	see <i>Osteopygis emarginatus</i>						U.Cretaceous	New Jersey (US)
<i>O. cf. Emarginatus</i>	see <i>Osteopygis emarginatus</i>						U.Cretaceous	New Jersey (US)
<i>O. chelydrinus</i>	see <i>Osteopygis emarginatus</i>						U.Cretaceous	New Jersey (US)
<i>O. emarginatus</i>	69 cm					Maastrichtian-L.Paleocene	New Jersey, Maryland, California (US)	
<i>O. erosus</i>	see <i>Osteopygis emarginatus</i>						U.Cretaceous	New Jersey (US)
<i>O. gibbi</i>	see <i>Osteopygis emarginatus</i>							
<i>O. kansuensis</i>	see <i>Kirgizemys kansuensis</i>							
<i>O. platylomus</i>	see <i>Osteopygis emarginatus</i>							
<i>O. robustus</i>	see <i>Osteopygis emarginatus</i>						U.Cretaceous	New Jersey (US)
<i>O. sopita</i>	see <i>Osteopygis emarginatus</i>							
<i>O. sp.</i>						U.Cretaceous	Quiriquina Fm (Chile)	
<i>O. sp.</i>						U.Cretaceous	New Jersey (US)	
Otwayemys						L.Cretaceous	Australia	
<i>O. cunicularius</i>						L.Cretaceous	Victoria (AU)	
Owenemys						L.Eocene	England, France	
<i>O. corroyi</i>	10 cm?					Ypresian	France	
<i>O. sp.</i>						Ypresian	d'Epernay (FR)	
<i>O. sp.</i>						Ypresian	Grauves (FR)	
<i>O. testudiniformis</i>	9 cm?					Ypresian	England	
Oxemys						M.Cretaceous	Russia?	
<i>O. gutta</i>						Turonian	Lake Khodzhakul	
Ozotheca	see <i>Kinosternon</i>							
Pachychelys						L.Pliocene	Europe	
Pachyrhynchus	see <i>Puppigerus</i>							
Padiochelys						U.Jurassic	Europe	
Palaeaspis						Eocene	Europe	
Palaeochelys	see <i>Palaeaspis</i>						Eocene-M.Miocene	Europe, Asia, N America?
<i>P. aff. Laurenti</i>	see <i>Provencemys sp.</i>						U.Oligocene	Mont Hochberg (Germany)
<i>P. astrei</i>						Aquitanian	France	
<i>P. bussenensis</i>						Orleanian-Vallesian	Germany	

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
<i>P. b. vel</i> <i>Mauremys</i> sp.	nomen nudum					Agenian	Germany
<i>P. corroyi</i>	see <i>Owenemys corroyi</i>						
<i>P. costula</i>							
<i>P. debroinae</i>	see <i>Mauremys debroinae</i>					M.Miocene	Germany
<i>P. elongata</i>						Sannoisian	Nei Monggol (China)
<i>P. gabunia</i>							
<i>P. haslachensis</i>	see <i>Palaeochelys bussenensis vel Mauremys</i> sp.						Germany
<i>P. iberica</i>	see <i>Cuvierichelys</i> sp. Group <i>iberica</i>						
<i>P. lachati</i>	see <i>Provencemys lachati</i>						
<i>P. laurenti</i>	see <i>Provencemys laurenti</i>						
<i>P. manuascensis</i>	see <i>Provencemys lachati</i>						
<i>P. mlynarskii</i>	see <i>Palaeomauremys mlynarskii</i>						
<i>P. novemcostatus</i>	belongs to a different genus						
<i>P. parisiensis</i>	see <i>Cuvierichelys parisiensis</i>						
<i>P. portisi</i>	see <i>Mauremys portisi</i>						
<i>P. rueckerti</i>							Turkey
<i>P. turcica</i>							Turkey
<i>P. vallisnerii</i>	see <i>Bergouniouxchelys vallisnerii</i>						
<i>Palaeoemys</i>						L-M.Eocene	France
<i>P. hessiaca</i>						Lutetian	France
<i>P. occitana</i>						Ypresian	France
<i>P. sp.</i>						Ypresian	France
<i>Palaeomauremys</i>						L.Oligocene	France, Germany, Switzerland
<i>P. mlynarskii</i>						Chattian	Germany
<i>P. tuberculata</i>						Chattian	Switzerland, France
<i>P. t. vel</i> <i>Mauremys massiliensis</i>						Chattian	France
<i>Palaeomedusa</i>	see <i>Eurysternum</i>					U.Jurassic	Europe
<i>Palaeothena</i>	see <i>Emys</i>						
<i>P. polycypha</i>	see <i>Emys polycypha</i>						
<i>P. terrestris</i>	see <i>Emys terrestris</i>						
<i>Palaeotrionyx</i>				46 cm		Paleocene	N America
<i>P. riabinini</i>	see <i>Axestemys riabinini</i>					Turonian-Santonian	Kazakhstan
<i>Palatobaena</i>						U.Cretaceous	W USA
<i>P. bairdi</i>						Maastrichtian	Montana (US)
<i>P. gaffneyi</i>							
<i>P. sp.</i>						Maastrichtian	Montana (US)
<i>Palemys</i>	see <i>Palaeaspis</i>						
<i>Paleotrionyx</i>	see <i>Trionyx</i>					Paleocene	Colorado (US)
<i>Pampatestudo</i>	see <i>Testudo</i>						
<i>Pangshura</i>	see <i>Kachuga</i>						
<i>Papoulemys</i>						L.Eocene	France
<i>P. laurenti</i>						L.Eocene	France
<i>Parachelys</i>	see <i>Plesiochelys</i>					U.Jurassic	Europe
<i>P. eichstattensis</i>							
<i>Paragravemys</i>						U.Cretaceous	Mongolia
<i>P. erratica</i>						Cenomanian-Turonian	Mongolia
<i>Parahyraspis</i>						Pliocene	Brazil
<i>P. paranaensis</i>						Pliocene	Brazil
<i>Paralichelys</i>	see <i>Clemmys &amp; Bergouniouxchelys</i>					Oligocene-Pliocene	Europe
<i>P. carinata</i>	see <i>Mauremys gaudryi</i>						
<i>P. catalaunicus</i>						Oligocene	France
<i>P. complanata</i>	see <i>Bergouniouxchelys vallisnerii</i>						
<i>P. vallisnerii</i>	see <i>Bergouniouxchelys vallisnerii</i>						
<i>Paraplastomenus</i>						U.Cretaceous-Miocene	Kazakhstan
<i>P. riabinini</i>						Turonian-Santonian	Kazakhstan
<i>Parathalassemys</i>	50 cm?					U.Cretaceous	Uzbekistan
<i>P.</i>	fragmentary material					Cenomanian	Kyzylkum (Uzbekistan)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Pariemys	see Terrapene						
Patanemys						Eocene	Europe
Peishanemys						L.Cretaceous	Mongolia, China
P. testudiformis	24 cm?					Aptian-Albian	Mongolia
Pelobatochelys						U.Jurassic-L.Cretaceous	Europe
Pelochelys							
Pelocomastes						Pleistocene	Australia
P. ampla						Pleistocene	Queensland (AU)
Pelodiscus	see Trionyx						
Pelomedusa						Oligocene-Pleistocene	Africa, Madagascar
Peltastes	see Testudo						
Peltocephalus	see Podocnemis						
Peltochelys	see Tretosternon						
Peltonia	see Testudo						
Pelusios				50 cm		L.Pleistocene	Tanzania, Malawi, Ethiopia
P. cf. Sp.						Pleistocene	Chiwondo (Malawi)
P. sinuatus						L.Pleistocene	Tanzania
P. sp.						U.Pliocene-Pleistocene	Chiwondo (Malawi)
P. sp. Cf. Subniger						U.Pliocene	Shungura (Ethiopia)
Pelusius	see Pelusios						
Pentonyx	see Pelomedusa						
Peritresius				1 m		U.Cretaceous	E USA
P. cf. Sp.						Eocene	N Germany
P. ornatus	58 cm					Maastrichtian	New Jersey (US)
P. sp.						Maastrichtian	New Jersey (US)
P. virginianus						Miocene	Virginia (US)
Peshanemys						L.Cretaceous	S Asia
Phosphatochelys						Paleocene	Morocco
P. sp.						Paleocene	Ouedem (Morocco)
Phrynops						Pliocene-Pleistocene	Argentina
Phylemys	see Toxochelys						
P. barberi	see Toxochelys latiremis						
Phyllemys	see Toxochelys					U.Cretaceous	N & S America
P. barberi	see Toxochelys latiremis						
Planetocheilus							
Planiplastron						U.Paleocene-M.Oligocene	Kazakhstan
Plastimenus	misspelling of Plastomenus						
Plastomenus	see Trionyx					U.Cretaceous-M.Eocene	N America, W Asia
P. acipictus						Torrejonian	New Mexico (US)
P. cf. Sp.						Wasatchian	Wyoming (US)
P. communis						Torrejonian	New Mexico (US)
P. corrugatus						Wasatchian	New Mexico (US)
P. costatus						Campanian-Maastrichtian	Montana (US), Alberta (Cnda)
P. fractus						Wasatchian	New Mexico (US)
P. insignis						Cretaceous	Colorado (US)
P. lachrymalis						Wasatchian	New Mexico (US)
P. molopinus						Bridgerian	Wyoming (US)
P. multifoveatus						Wasatchian-Bridgerian	New Mexico, Wyoming (US)
P. oedemius						Bridgerian	Wyoming (US)
P. punctulatus						U.Cretaceous	Colorado (US)
P. serialis						Wasatchian	New Mexico (US)
P. sp.						Bridgerian	Wyoming (US)
P. tantillus						Bridgerian	Wyoming (US)
P. thomasi						Bridgerian	Wyoming (US)
P. trionychoides						Bridgerian	Wyoming (US)
P. visendus						Bridgerian	Wyoming (US)
Plastremys	see Trachydermochelys						

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Platemys						Holocene	S America
Platycheloides						L.Cretaceous-U.Pliocene	Niger, Malawi
P. nyasae							
P. sp.						U.Pliocene	Chiwondo (Malawi)
P. sp. Cf. Nyasae							
Platychelone						L-U.Cretaceous	Belgium, Netherlands
P. emarginatus						L-U.Cretaceous	Belgium, Netherlands
Platychelys						U.Jurassic	Europe
P. couranti						U.Jurassic	France
Platyemys	see Chrysemys					Eocene-Recent	Europe, N & S America
P. lachati	see Provencemys lachati						
Platypeltis	see Trionyx					Eocene-Recent	China
P. leucopotamica	see Apalone leucopotamica						
P. spinifer	see Trionyx spinifer						
P. subcircularis	14 cm?					M.Eocene	Henan (China)
Platysternon						Recent	S Asia
Platysternum	see Platysternon						
Platythyra	see Kinosternon						
Plesiobaena						Jurassic-L.Paleocene	W USA, W Canada
P. antiqua	5 cm	30 cm?		40 cm?		Campanian-Puercan	Montana, N Dakota (US) Alberta (Cnda)
P. putorius						Puercan	Wyoming (US)
P. sp.						Maastrichtian	Wyoming (US)
Plesiochelys				25 cm		U.Jurassic-L.Cretaceous	E Asia, Switzerland
P. chungkingensis	see Xinjiangchelys chungkingensis						China
P. etalloni						Kimmeridgian	Switzerland
P. latimarginalis	see Xinjiangchelys latimarginalis?						Kirgizstan
P. laticutata						L.Cretaceous	
P. menkei						L.Cretaceous	Belgium
P. oshanensis						U.Jurassic	Yunnan (China)
P. planiceps						Portlandian	England
P. radiplicatus						U.Jurassic	Sichuan (China)
P. tatsuensis	see Ferganemys tatsuensis?					U.Jurassic	Sichuan (China)
Plesiochelylis	probably Plesiochelys						
P. chungkingensis	probably Plesiochelys chungkingensis						
Pleurodira							
Pleurosternon						U.Jurassic-L.Cretaceous	Europe, Asia
P. bullocki							
Pleurosternum	see Pleurosternon					U.Jurassic-L.Cretaceous	Purbeck Fm (England)
Pliochelys	see Caretta						
Pneumatoarthrus						U.Cretaceous	N America
P. peloreus	see Atlantochelys mortoni						
Podocnemis				76 cm		Cretaceous-Holocene	S America, Africa, Europe, Asia
P. aegyptiaca						L.Miocene	Egypt
P. alabamae							
P. barberi							
P. bassleri						M.Miocene	Peru
P. brasiliensis							Brazil
P. cf. Antiqua						Eocene	Qasr el-Sagha (Egypt)
P. congolensis						Paleocene	Congo
P. elegans						U.Cretaceous	Bauru Fm (Brazil)
P. fajumensis						Fayumian?	Egypt?
P. geologorum						Miocene	Pozo Rendivu (Venezuela)
P. judaeana						Cenomanian	Israel
P. parva						Cenomanian	Israel
P. pritchardi						Friasian	Colombia
P. sp.						Fayumian	Jebel el Qatrani (Egypt)
P. sp.						Deseadan	Salla Beds (Bolivia)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Polyechmatemys	see Geoclemys					Pliocene	E Asia
Polysternon						U.Cretaceous-Oligocene	France
P. provinciale						U.Cretaceous	France
Polysternum	see Polysternon?					U.Cretaceous-Eocene	France
Polythorax						U.Cretaceous	W USA
Portezueloemys						U.Cretaceous	Argentina
P. patagonica						Turonian-Coniacian	Neuquen (ARG)
Porthochelys						U.Cretaceous	W USA
P. browni	see Toxochelys latiremis						
P. laticeps	74 cm					Coniacian-Santonian	Kansas (US)
Portlandemys						U.Jurassic	England
P. mcdowelli						U.Jurassic	England
Potamochelys	see Trionyx					L.Cretaceous	W Africa
Prionochelys						U.Cretaceous	N America
P. galeotergum	see Prionochelys nauta						
P. matutina (matuina)	see Prionochelys nauta						Alabama (US)
P. nauta	1.2 m					Campanian	Arkansas, Alabama, Kansas (US)
Probaena						U.Jurassic	W USA
P. sculpta						Tithonian	Colorado (US)
Prochelidella						U.Cretaceous	Argentina
P. argentinae						Albian-Cenomanian	Chubut (ARG)
P. portezuelae	27 cm?					Turonian-Coniacian	Neuquen (ARG)
Prochonias	see Taphrosphys						
Procolpochelys						M.Miocene	USA, Italy
P. grandaevus (grandaeva)						Barstovian	New Jersey (US)
P. melii						Miocene	Italy
P. spp.						Miocene	Italy
Proeretmochelys						U.Cretaceous	Europe
Proganochelys	56 cm	12 cm		107 cm		U.Triassic	Germany, Thailand
P. dux				91 cm		Norian	Germany
P. quenstedtii (quenstedti)	56 cm			107 cm		Norian	Germany
P. ruchae (nuchae)						Norian	Thailand
Proganosaurus	see Caretta						
Promalacoclemmys						U.Oligocene-L.Miocene	Germany, Switzerland
P. boulengeri	see Promalacoclemmys protogaea						
P. laharpi	14 cm?					Chattian	Switzerland
P. protogaea	15 cm?					Agenian	Germany
Propleura	see Osteopygis						
P. borealis	see Osteopygis emarginatus						
Protemys						Eocene	Europe
Proterochersis				46 cm		U.Triassic	Germany
P. robusta (robustum)	33 cm					Norian	Germany
Protestudo							
P. alba							
P. bessarabica							
P. darevskii							
P. hipparionum							
P. illiberalis							
P. karabastuzica							
P. lavrovi							
P. moldavica							
P. oskarkhuni							
P. punjabiensis							
Protochelydra						U.Cretaceous-U.Paleocene	W USA, Mexico
cf. P. zangerli						Clarkforkian	Montana (US)
P. sp.						Campanian	Coahuila (Mxco)
P. sp.						Clarkforkian	Montana (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Protochelys						U.Cretaceous?M.Jurassic?	N America?Europe?
Protosphargis						U.Cretaceous	Europe,Mediterranean
P. veronensis						Maastrichtian	Italy
Protostega				122 cm		U.Cretaceous	W USA,Great Britain
aff. P. sp.						Maastrichtian	New Jersey(US)
P. advena	see Chelosphargis advena						Alabama (US)
P. anglica	50 cm					Albian-Cenomanian	Great Britain,Tunisia
P. cara						U.Cretaceous	Kansas (US)
P. copei	see Microstega copei					Coniacian-Campanian	Kansas (US)
P. dixie	see Protostega gigas					Santonian-Campanian	Alabama (US)
P. eaglefordensis	135 cm					Cenomanian-Turonian	Texas (US)
P. gigas	1.5 m					Santonian-Campanian	USA,Canada,Japan
P. marshii							
P. potens	see Protostega gigas					U.Cretaceous	Kansas (US)
P. sp.						U.Cretaceous	Kansas,Alabama (US)
Provencemys						L.Oligocene	France
P. cf. Laurenti						Rupelian	Alpes-de-Haute (FR)
P. lachati	20 cm?					Chattian	France
P. laurenti	12 cm?					Chattian	France
P. sp.						U.Oligocene	Mont Hochberg (Germany)
Psammobates	see Testudo						
Psammochelys	see Proganochelys						
P. keuperina							
Psephopherus	see Psephophorus						
P. polygonus							
P. pseudostracion							
P. scaldii							
P. sp.						L.Pliocene	Florida(US)
P. terrypratchetti						M.Eocene	New Zealand
Psephophorus						Eocene-Pliocene	N Africa,Europe
P. polygonus						M.Miocene-Pliocene	Maryland(US),Belgium
P. pseudostracion						Burdigalian	Belgium,France,Italy
P. rupeliensis						Rupelian	Belgium
P. scaldii						Langhian	Belgium
Pseudanosteira						M-U.Eocene	W USA
P. pulchra	12 cm					Uintan	Utah(US)
Pseudemydura						Miocene-Recent	Queensland(AU)
Pseudemys						U.Oligocene-U.Pleistocene	E USA
P. antiqua	see Chrysemys antiqua					Chadronian	S Dakota(US)
P. caelata	22 cm?					Arikareean-Hemphillian	Florida(US)
P. concinna	living Eastern River Cooter					Blancan-Recent	Florida(US)
P. extincta							Florida(US)
P. floridana	living Florida Cooter					Rancholabrean-Recent	Florida(US)
P. inflata						Hemphillian	Florida(US)
P. nelsoni	living Florida Redbelly Turtle					Blancan-Recent	Florida(US)
P. scripta						Hemphillian-Irvingtonian	California,Florida(US)
P. sp.						Geringian-Hemphillian	Florida,S Dakota(US)
P. sp.						Pleistocene	Jamaica
P. sp.						Hemphillian	Hidalgo (Mxco)
P. sp. Cf. Concinna						Rancholabrean	Georgia(US)
P. williamsi	25 cm?					Arikareean-Hemphillian	Florida(US)
Pseudoanosteira						Eocene	N America
Pseudocadia	see Ocadia						
Pseudochrysemys						U.Paleocene	Mongolia
P. gobiensis						U.Paleocene	
Pseudograptemys	30 cm					L.Oligocene	W USA
P. inornata	30 cm					Chadronian	S Dakota(US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Pseudomopus	see	Homopus					
Pseudosphargis						Oligocene	Germany
Pseudotrionyx	see	Anosteira					
Psilognathus	see	Trionyx					
Ptychemys	see	Pseudemys					
Ptychogaster						Eocene-Miocene	Europe
P. bardenensis						Aquitanian-Burdigalian	Spain
P. buechelbergense						Aquitanian	
P. emydoides						Stampian	France
P. gaudini	see	Kinixys gaudini					
P. reinachi							
P. ronheimensis						Aquitanian-Burdigalian	Spain
P. sp.						Orleanian	Mauvieres, La Brosse, Chitenay (France)
P. wischbergense							
Puppigerus				91 cm		L-M.Eocene	England, Belgium
P. camperi						Ypresian-Lutetian	England, Belgium
P. crassicostata						Ypresian	England, Belgium
Pygmaeochelys						U.Cretaceous	Europe (Italy?)
Pyxiclemmys	see	Cuora					
Pyxidea	see	Cyclemys					
Pyxidemys	see	Terrapene					
Pyxis						Recent	Madagascar
Rafetus	see	Trionyx					
Rapara	see	Chelydra					
Redamia	see	Pseudemys					
Rhetechelys	see	Osteopygis					
Rhinemys	see	Phrynops or Mesoclemmys				Eocene, Recent	Asia (S America-recent)
Rhinochelys		4.6 cm				L-U.Cretaceous	England, France
R. amaberti	see	Rhinochelys pulchriceps					France
R. amberti	see	Rhinochelys pulchriceps					
R. benstedti						U.Cretaceous	Great Britain
R. cantabridgiensis	see	Rhinochelys pulchriceps					England
R. cantabrigiensis	see	Rhinochelys pulchriceps					England
R. elegans	see	Rhinochelys pulchriceps					England
R. jessoni	see	Rhinochelys pulchriceps					
R. macrorhina	see	Rhinochelys pulchriceps					
R. pulchriceps	30 cm					Albian-Turonian	Great Britain, France
R. sp.						Albian	England
Rhinoclemmys	see	Geoemyda				U.Miocene-Recent	Guatemala, Honduras
R. sp.						Quaternary	Santa Amelia (Gua)
R. sp.						U.Miocene	Gracias (Honduras)
R. sp.						U.Pleistocene	Honduras
Rosasia						U.Cretaceous	Portugal
R. soutoi						Maastrichtian	Portugal
Roxochelys						U.Cretaceous	W Africa
Sacalia	see	Clemmys					
Sakya						Pliocene-Pleistocene	E Europe, W Asia
Sandownia						L.Cretaceous	England
S. harrisi		60 cm				L.Cretaceous	Isle of Wight
Sankuchemys						U.Cretaceous	India
S. sethnai						Maastrichtian	India
Santanachelys							
S. gaffneyi							
Sarmatemys							
S. lungi							
Sartemys						L.Cretaceous	E Asia
Saurischiocomes						U.Triassic	Europe

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Saurochelys	see	Chelydra					
Saurodesmu						U.Triassic	Europe
Scapia	see	Testudo					
Scaptochelys							
<i>S. laticuneata</i>	see	Gopherus	laticuneus				
Scutemys						U.Jurassic-U.Cretaceous	China
<i>S. tecta</i>	see	Sinochelys?				U.Jurassic-U.Cretaceous	Shandong (China)
Scytina	see	Dermochelys					
Scytina	see	Dermochelys					
Scytine	see	Dermochelys					
Seytina	see	Dermochelys					
Shachemys	40 cm?					U.Cretaceous	Uzbekistan
<i>S. baibolatica</i>	30 cm					Turonian-Coniacian	Dzharakhuduk (Uzbekistan)
Shansiemys						Miocene-Pliocene	China
Sharemys	see	Clemmys				Oligocene	China
<i>S. hemispherica</i>						Sannoisian	Nei Monggol (China)
Shartegemys						M.Jurassic	Mongolia
<i>S. laticentralis</i>	17 cm?						Shar Teeg (Mongolia)
Shineusemys	30 cm					U.Cretaceous	Mongolia
<i>S. plana</i>						Cenomanian-Turonian	Bayanshiree (Mongolia)
Shweboemys						Eocene-Pliocene	Egypt, S Asia
<i>S. antiqua</i>						Eocene	Egypt
<i>S. cf. Sp.</i>						U.Cretaceous	Pisdura (India)
<i>S. pilgrimi</i>						Pleistocene	Burma
Siebenrockiella						Recent	Asia
Sinaspideretes						U.Jurassic	China
<i>S. wimani</i>	15 cm?					U.Jurassic	Sichuan (China)
Sinemys						U.Jurassic-L.Cretaceous	China
<i>S. efremovi</i>						Barremian	Xinjiang (China)
<i>S. gamera (gamora)</i>	17 cm?	3.75cm				Aptian	Luohandong (China)
<i>S. lens</i>	9 cm?	2 cm?		15 cm?		U.Jurassic-L.Cretaceous	Shandong (China)
<i>S. sp.</i>						L.Cretaceous	Men-yin (China)
<i>S. wuerhoensis</i>	doesn't belong in this genus					L.Cretaceous	Xinjiang (China)
Sinochelys						U.Jurassic-L.Cretaceous	China
<i>S. appalanata</i>						U.Jurassic-L.Cretaceous	Shandong (China)
Sinohadrianus						M.Eocene	China
<i>S. sichuanensis</i>	12 cm?					M.Eocene	Henan (China)
Siphargis	see	Dermochelys					
Sokotochelys						U.Cretaceous	W Africa
Solnhofia						U.Jurassic	Germany
<i>S. parsonsi</i>						Kimmeridgian-Tithonian	Germany
Sontiochelys						U.Cretaceous	Europe
Spatulemys	see	Phrynopis					
Sphargis	see	Dermochelys					
<i>S. pseudostracion</i>						Jurassic	Europe
Sphragis	see	Dermochelys					
Stauremys	see	Staurotypus					
Staurotypus						Holocene	N America
<i>S. cf. Triporcatus</i>						Pleistocene	Guatemala
<i>S. salvini</i>							
<i>S. triporcatus</i>						Quaternary	Treasure Island (GUA)
Stegochelys	see	Proganochelys				U.Jurassic	Europe
<i>S. dux</i>	see	Proganochelys	dux				
Stereogenys						Eocene-Oligocene	Africa, Europe
<i>S. antiqua</i>						Eocene	Egypt
<i>S. cromeri</i>						U.Eocene	Egypt
<i>S. salmanticensis</i>							

Genus/Species	Shell	Skull	Ht	Lt	Wt	Stage	Range
Sternothaerus	see Kinosternon or Cyclernys					Miocene-Recent	Ethiopia
Sternotherus	see Kinosternon or Pelusios					U.Pliocene-U.Pleistocene	E USA
S. carinatus						Rancholabrean	Florida (US)
S. minor	living Musk Loggerhead Turtle					Blancan-Recent	Florida (US)
S. odoratus	living Common Musk Turtle					Blancan-Recent	Florida (US)
S. sp.						Rancholabrean	Florida, Georgia (US)
S. sp.1							
S. sp.2							
S. sp.3							
S. sp.4							
Stigmochelys	see Testudo						
Stupendemys				3.4 m		L.Pliocene	Brazil, Venezuela
S. geographicus	2.3 m			3.4 m		U.Miocene	Brazil, Venezuela
Stupendomys	see Stupendemys						
Stygichelys	see Stygiochelys?					U.Cretaceous	N America
Stygiochelys						U.Cretaceous	W USA
S. estesi						Maastrichtian	Montana (US)
Stylemys				1 m		L.Oligocene-M.Miocene	N America, Asia, Europe
S. amphithorax	50 cm					Chadronian	Colorado (US)
S. brontops						Chadronian	S Dakota (US)
S. capax						Chadronian	Oregon (US)
S. conspecta						Chadronian	Oregon (US)
S. emiliae						Miocene	S Dakota (US)
S. laticuneus (latecunea)						Orellan	Colorado (US)
S. ligonia	see Stylemys amphithorax?					Chadronian	Colorado (US)
S. nebrascensis	53 cm	4 cm				Chadronian-Orellan	S Dakota, Wyoming, Colorado, Nebraska (US)
S. oregonensis				42 cm			Oregon (US)
S. quadrata						Oligocene	Colorado, S Dakota (US)
S. sp.						Chadronian-Arikareean	Colorado, Wyoming, Nebraska (US)
S. thomsoni						Orellan	S Dakota (US)
S. vaga						Miocene	Wyoming (US)
Swanka	see Kinosternon						
Syllomus						Miocene-Pliocene	E Asia, N Africa, N America
S. aegypticus							Egypt
S. crispatus						Miocene	Virginia (US)
S. sp.						Miocene	N Carolina (US)
Tachyaspis						Eocene-Miocene	Europe, N Africa
Tanoa	see Pelusios						
Taphrophys	probably Taphrosphys						
T. sp.	probably Taphrosphys						
Taphrosophys							
T. nodosus	see Peritresius ornatus						
Taphrosophys						U.Cretaceous-Miocene	N & S America, Denmark, France, Tunisia, Egypt, Mali
T. dares						U.Cretaceous	Georgia (US)
T. leslianus						U.Cretaceous	New Jersey (US)
T. longinuchus						U.Cretaceous	New Jersey (US)
T. molops						U.Cretaceous	New Jersey (US)
T. nodosus						U.Cretaceous	New Jersey (US)
T. olssoni							Peru
T. sp.						U.Cretaceous	New Jersey (US)
T. sp.						Campanian	Texas (US)
T. strenuus						U.Cretaceous	New Jersey (US)
T. sulcatus						Maastrichtian	New Jersey (US)
Tasbacka						U.Paleocene	Morocco
T. ouledabdounensis						Thanetian	Morocco
Teleopus	see Testudo						
Temnoclemmys						Miocene	Europe

Genus/Species	Shell	Skull	Ht	Lt	Wt	Stage	Range
T. bardenensis	see	Ptychogaster	bardenensis			Aquitanian-Burdigalian	Spain
Temnognathus	see	Trionyx					
Temnotrionyx	see	Trionyx					
T. manducans						Bridgerian	Wyoming (US)
Teneremys							
T. lapparenti							
Terrapene						L.Miocene-Holocene	USA
cf. T. carolina putnami						U.Pleistocene	Missouri (US)
T. bauri						Rancholabrean	Florida (US)
T. canaliculata						Pleistocene	Missouri (US)
T. carolinensis (carolina)	living	Box Turtle				Blancan-Recent	Florida, Georgia, Louisiana (US)
T. c. putnami						Rancholabrean	Missouri, Florida (US)
T. eurypygia						Pleistocene	Maryland (US)
T. innoxia						Rancholabrean	Florida (US)
T. major						Blancan	Florida (US)
T. marnockii						Pleistocene	Texas (US)
T. nucocarinata						Irvingtonian	Florida (US)
T. putnami						Pleistocene	Florida (US)
T. sp.						L.Miocene-Rancholabrean	Florida (US)
T. sp.						Barstovian	Nebraska (US)
Terrapenne	see	Terrapene					
Terraphene	see	Terrapene					
Testudinella	see	Testudo					
Testudinites	see	Testudo					
Testudo	2.25 m		86 cm	2.9 m	1 t	Eocene-Holocene	Europe, Asia, Africa, N America
T. alleni						U.Miocene-L.Pleistocene	Florida (US)
T. ammon	1 m			122 cm		Fayumian	Egypt
T. amphithorax	see	Stylemys	amphithorax			U.Eocene	Colorado (US)
T. atlas				2.5 m			
T. bessarabica							Romania
T. bolivari							Spain
T. bosporica							
T. brontops	see	Hesperotestudo	brontops			Chadronian	S Dakota (US)
T. bulgarica							
T. cf. Hermanni							Lipari Island (Sicily)
T. cf. Orthopygia	108 cm			122 cm		L.Pliocene	Nebraska (US)
T. cf. Promarginata						Orleanian	Mauvieres, La Brosse, Chitenay (France)
T. cf. Shensiensis						Vindobonian	NMG (China)
T. cf. Steblini							
T. copei	see	Gopherus	copei			Hemingfordian	Montana (US)
T. corroyi	see	Owenemys	corroyi				
T. crassicutata						U.Pliocene-Pleistocene	Florida (US)
T. cubensis						Pleistocene	Cuba
T. culbersoni	see	Stylemys	nebracensis				
T. cultrata (cultratus)						Orellan	Colorado (US)
T. demissa	see	Geochelone	insolitus			Oligocene	Ardyn Obo Fm (Mongolia)
T. eldarica							
T. exornata	20 cm					Chadronian	Saskatchewan (Cnda)
T. farri	see	Geochelone	farri				
T. graeca						U.Pleistocene	Morocco
T. gringorum						Miocene	Angosturas (Argentina)
T. hadrianus	see	Hadrianus	corsoni				
T. hayi						M.Miocene-L.Pliocene	Florida (US)
T. hemispherica	see	Stylemys	nebracensis				
T. hermanni						Quaternary	France
T. hipparionum	13 cm?						China
T. incisa						U.Pleistocene	Florida (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
T. insolitus	see	Geochelone	insolitus			Oligocene	Promontory Bluff (Mongolia)
T. kaisen						Oligocene	Mongolia
T. kalganensis						Tertiary	Kalgan Area (China)
T. kalksburgensis						Miocene	Vienna (Italy)
T. kenitrensis						Amirien-Tensiftian	Morocco
T. lata	see	Stylemys	nebracensis				
T. laticuneus (laticunea)	see	Gopherus	laticuneus			U.Eocene	Colorado, S Dakota (US)
T. ligonia (ligonius)	see	Stylemys	amphithorax			Orellan	Colorado (US)
T. lunanensis							Yunnan (China)
T. margae						Pleistocene	Desu Beru Tjabenge (INN)
T. marginata						L.Miocene	Greece, Island of Tilos
T. monensis						Pleistocene	Puerto Rico
T. mylnarskii						L-M.Pleistocene	Florida (US)
T. namaquensis						Miocene	Namibia
T. nonus						Sannoisian	NMG (China)
T. orthopygia	71 cm					U.Oligocene-L.Pliocene	Kansas (US)
T. oweni	see	Stylemys	nebracensis				
T. perpiniana						M.Pliocene	France
T. praeceps							
T. praextans (praeextens)	see	Gopherus	laticuneus			Orellan	Wyoming (US)
T. primitiva						Arikareean	S Dakota (US)
T. quadrata (quadratus)	see	Gopherus	laticuneus			Orellan	Colorado (US)
T. riggsi						M.Pliocene	Kansas (US)
T. schafferi						Pliocene	Samos
T. schucherti	80 cm					U.Eocene	Alabama (US)
T. scutella	see	Emys	scutella				
T. semenensis							Tunisia
T. sharanensis							Nei Monggol (China)
T. sp.						M.Miocene-L.Pleistocene	Florida (US)
T. sp.						U.Pliocene	Morocco
T. sp.						U.Pliocene	Lantian (China)
T. sphaerica						M.Pliocene	Shaanxi (China)
T. strandi						Miocene	
T. tedwhitei						L.Miocene	Florida (US)
T. thomsoni	see	Gopherus	laticuneus			Orellan	S Dakota (US)
T. turgida						U.Pliocene	
T. ulanensis						Bartonian	Nei Monggol (China)
T. vaga						Oligocene	Wyoming (US)
T. yunnanensis							Yunnan (China)
Tetraonyx	see	Batagur					
Tetrathyra	see	Cyclanorbis					
Thalassemys						U.Jurassic	Europe
T. marina						U.Jurassic	Germany?
T. moseri							
Thalassiochelis	see	Caretta					
Thalassocheilus	probably	Thalassiochelis					
T. carretta							
Thalassocheilus	see	Caretta					
T. lezennensis							France
T. testei						L.Eocene	Egypt, Zaire
Therapene	see	Terrapene					
Thescelus						U.Cretaceous	USA
T. cf. Insiliens						Campanian	Texas (US)
T. insiliens						Maastrichtian	Wyoming, New Mexico (US)
T. rapiens						U.Cretaceous	New Mexico (US)
T. sp.						Campanian	Alberta (Cnda)
T. sp.						Campanian	Texas (US)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
Thinochelys						U.Cretaceous	E USA
T. lapolissea	69 cm					Campanian	Alabama (US)
Tholemys	see Plesiochelys					U.Jurassic	Europe
Thyrosternum	see Kinosternon						
Tienfucheloides						L-U.Cretaceous	Mongolia, Uzbekistan
T. jastmelchyi						L.Cretaceous	Mongolia
T. undatus						U.Cretaceous	Karakalpasia (Uzbekistan)
Tienfuchelys						U.Jurassic	China
T. tzuyangensis						U.Jurassic	Sichuan (China)
Tomochelone						U.Cretaceous	Europe
Tortisternum	see Trionyx						
Toxaspis	see Terrapene						
Toxochelys				3.7 m?		U.Cretaceous	USA, Canada
T. atlantica	see Catapleura repanda & Dollochelys atlantica						New Jersey (US)
T. barberi	see Toxochelys latiremis						
T. bauri	see Ctenochelys stenopora					U.Cretaceous	Kansas (US)
T. brachyrhinus	see Toxochelys latiremis						
T. browni	see Toxochelys latiremis					Maastrichtian	Wyoming (US)
T. cf. Browni						Campanian	S Dakota (US)
T. elkader	see Ctenochelys stenoporus						
T. gigantea							
T. latiremis	80 cm					Coniacian-Maastrichtian	Tennessee, Arkansas (US) Canada
T. moorevillensis	59 cm					Campanian	Alabama (US)
T. procax	see Ctenochelys stenoporus					U.Cretaceous	Kansas (US)
T. serrifer	see Toxochelys latiremis					U.Cretaceous	Kansas (US)
T. sp.						Campanian	Kansas, Wyoming, Delaware (US)
T. stenopora							
T. weeksi	see Toxochelys latiremis						Tennessee (US)
Trachemys	see Pseudemys?					U.Miocene-U.Pleistocene	USA
T. antiqua	see Chrysemys antiqua					Chadronian	S Dakota (US)
T. euglypha						Rancholabrean	Florida (US)
T. hilli						Clarendonian	Kansas (US)
T. inflata						Hemphillian	Florida, Tennessee (US)
T. platymarginata	34 cm?					Blancan-Rancholabrean	Florida (US)
T. scripta	living YellowBelly Slider					Blancan-Recent	Florida, Georgia (US)
T. sp.						Hemphillian	Florida (US)
Trachyaspid						Eocene-Miocene	Europe, Africa
T. lardyi							Europe (Germany?, Switzerland?)
T. turbulensis						U.Miocene	Greece?
Trachydermochelys						U.Cretaceous	Europe
Tretosternon						U.Jurassic-Cretaceous	Belgium
T. duchatelii						Aptian	Wealden Fm, Bernissart (Belgium)
Tretosternum	probably Tretosternon					L.Cretaceous	Europe
Triassocheles	see Proganochelys						
T. dux	see Proganochelys dux						
Trinitichelys						U.Jurassic	W USA
T. hiatti						Aptian	Texas (US)
Trionyx				2 m		Cretaceous-Holocene	Asia, Africa, Europe, N America
T. admirabilis						Puercan	New Mexico (US)
T. aequa (aequus)						Bridgerian	Wyoming (US)
T. aff. Ferox						Hemphillian	Florida (US)
T. amnicola						Wasatchian	Wyoming (US)
T. antiqua (antiquus)						Paleocene-U.Oligocene	New Mexico (US), France
T. aspideretes						Puercan	Montana (US)
T. australiensis						Pleistocene	Queensland (AU)
T. beecheri						Maastrichtian	Montana (US)
T. bellunensis						Miocene	Italy?

Genus/Species	Shell	Skull	Ht	Lt	Wt	Stage	Range
T. bohemicus				30 cm		Miocene	Czechoslovakia
T. buiei						Miocene	N Carolina (US)
T. byssinus						Bridgerian	Wyoming (US)
T. capellini (capellinii)				33 cm		Oligocene	Italy
T. cariosus						Wasatchian	New Mexico (US)
T. cf. Pliopedemontanus						L.Pliocene	Italy
T. coalescens						Campanian	Alberta (Cnda)
T. concentricus (concentrica)						Bridgerian	Wyoming (US)
T. crassus (crassa)						Uintan	Utah (US)
T. croaticus							
T. egregia						Bridgerian	Wyoming (US)
T. ellipticus						Bridgerian	Wyoming (US)
T. exguista						Bridgerian	Wyoming (US)
T. extensa						Bridgerian	Wyoming (US)
T. foveatus				1 m		Campanian	Alberta (Canada), Montana (US)
T. franciscae						Bridgerian	Wyoming (US)
T. grangeri						Bridgerian	Wyoming (US)
T. gregaria (gregoria)				46 cm		Sannoisian	NMG (China)
T. guttatus						Wasatchian-Bridgerian	New Mexico, Wyoming (US)
T. halophila (halophilus)						Campanian	Delaware (US)
T. heteroglyptus (heteroglypta)				10 cm?		Bridgerian	Wyoming (US)
T. hilberi	see Trionyx	pliocenicus					
T. johnsoni						Eocene	New Mongolia (China)
T. kyrgyzensis	15 cm?					Albian?	Kirgizstan?
T. leptomitus						Wasatchian	New Mexico (US)
T. leucopotamicus (leucopata)	see Apalone	leucopotamica				Chadronian-Orellan	Nebraska (US), Alberta (Cnda)
T. lima						Miocene	New Jersey (US)
T. marini						Oligocene	Spain
T. miocaenus						Barstovian	Nebraska (US)
T. mira						Bridgerian	Wyoming (US)
T. pennata						Eocene	New Jersey (US)
T. petersi						Miocene	Austria
T. pliocenicus							
T. pliopedemontanus							
T. postera						Bridgerian	Wyoming (US)
T. priscus (prisca)						Cretaceous	New Jersey (US)
T. puercensis						Puercan	New Mexico (US)
T. punctiger	see Apalone	leucopotamica					
T. quinni						Barstovian	Nebraska (US)
T. radulus						Wasatchian-Bridgerian	New Mexico, Wyoming (US)
T. riabinini	see Paraplastomenus	riabinini				Turonian-Santonian	Kazakhstan
T. salebrosa						Bridgerian	Wyoming (US)
T. schlotheimii							
T. sculptus						Vindobonian	New Mongolia (China)
T. scutumantiquum	60 cm					Wasatchian-Bridgerian	Wyoming (US)
T. segatus						Puercan	New Mexico (US)
T. septemcostatus						Miocene	Austria
T. serialis						Bridgerian	Wyoming (US)
T. singularis						Torrejonian	New Mexico (US)
T. sp.						Maastrichtian-Rancholabrean	Montana, Wyoming, New Mexico, Texas, Florida, Nebraska (US)
T. sp.						Orleanian	Mauvieres, La Brosse (France)
T. sp.						Barstovian	Nebraska (US)
T. sp.						Albian	Kirghizia
T. sp.						Campanian	New Jersey (US)
T. sp.						Bridgerian	Texas (US)
T. sp.						U.Eocene	Arkansas (US)
T. sp.A	15 cm?					U.Cretaceous	Nemegt Beds (Mnglia)

Genus/Species	Shell	Skull	Ht	It	Wt	Stage	Range
T. sp.B	80 cm?					U.Cretaceous	Nemegt Beds (Mnglia)
T. spinifer							
T. splendidus						Maastrichtian	Montana (US)
T. trepida						Bridgerian	Wyoming (US)
T. trionychoides						Bridgerian	Wyoming (US)
T. tritor		15 cm				Bridgerian	Wyoming (US)
T. uintaensis						Bridgerian	
T. vagans						U.Cretaceous	Alberta (Canada), Colorado (US)
T. ventricosus						Wasatchian	New Mexico (US)
T. virginiana						Eocene	Virginia (US)
T. vorax						U.Cretaceous	Ojo Alamo, New Mexico (US)
Tropidemys						U.Jurassic	Europe
Tryonix	probably	Trionyx					
Tsaotanyemys	15 cm?					U.Cretaceous	China
T. rugosus						Aptian-Santonian	Chia-yu-kuan (China)
Tyrse	see	Trionyx					
Warkalania						Miocene	Australia
W. carinaminor						Miocene	Queensland (AU)
Wincania	see	Plesiochelys					
Uluops				30 cm		U.Jurassic-L.Cretaceous	W USA
U. uluops						U.Jurassic	Wyoming (US)
Undjulemys						U.Jurassic	Mongolia
U. platensis	15 cm?						Onjuul (Mongolia)
Uronyx	see	Kinosternon					
Xenochelys						L.Eocene-L.Oligocene	W USA
X. bridgerensis	9.5cm					Bridgerian	Wyoming (US)
X. formosa	21 cm	5 cm				Chadronian	S Dakota (US)
X. n.sp.	see	Xenochelys	lostcabinensis			Wasatchian	Wyoming (US)
X. lostcabinensis	12 cm					Wasatchian	Wyoming (US)
X. sp.	see	Xenochelys	bridgerensis			Bridgerian	Wyoming (US)
X. sp.						Bridgerian	Texas (US)
Xerobates	see	Gopherus					
X. undata							
Xinjiangchelys						M-U.Jurassic	China, Kirgizstan
X. chungkingensis							China
X. junggarensis						Bathonian-Callovian	Xinjiang (China)
X. latimarginalis	58 cm?					Callovian	Kirgizstan
X. sp.	see	Xinjiangchelys	tianshanensis			Callovian	Kirgizstan
X. tianshanensis	34 cm?					Callovian	Kirgizstan
Yaxartemys						U.Jurassic	Kazakhstan
Y. longicauda						Kimmeridgian	Kazakhstan
Yaxartermys	invalid spelling of	Yaxartemys				U.Jurassic	W Asia
Yuen	see	Trionyx					
Yumenemis	probably	Yumenemys					
Yumenemys						Cretaceous	China
Zangerlia	70 cm					U.Cretaceous	China, Mongolia
Z. dzamynchondi	67 cm					Santonian-Campanian	Baruungoyot (Mnglia)
Z. sp.						U.Cretaceous	Sheeregeen Gashoon (Mnglia)
Z. testudinomorpha (testudin)	27 cm					Campanian	Nei Monggol (China) Baruungoyot (Mnglia)
Zangleria	probably	Zangerlia				U.Cretaceous	China
Z. testudinomorpha	probably	Zangerlia				U.Cretaceous	Nei Monggol (China)
Zolhafah						U.Cretaceous	Egypt
Z. bella						Maastrichtian	Egypt
Zygoramma						U.Cretaceous	E USA
Z. microglypha						Maastrichtian	New Jersey (US)
Z. striatula						U.Cretaceous	Greensand, New Jersey (US)

